

FENDT

Cargo Front Loader Order Guide Summary





Fendt Cargo

The Fendt Cargo is the only front loader specifically designed for the Fendt range. Engineered and manufactured by the same experienced hands that produce the Fendt tractor, it offers an unrivalled package of accessibility, performance and reliability. Whether it's for moving silage or earth, grain or hay, the Fendt Cargo is the ultimate front loader.

Fendt CargoProfi

THE INTELLIGENT FRONT LOADER.

The Fendt CargoProfi features an integrated weighing system and programmable work parameters with previous setting recall, all controlled and displayed through the Varioterminal. This enables the operator to restrict beam height if working in a confined space or monitor the weight not only of each load lifted but also the total weight of a complete job.



Fendt Cargo R


There is the possibility to upgrade with a Cargo R mounting kit on the Fendt 800/900. Developed by Fendt engineering and only available through AGCO Parts. This enables a 4X/85 to be installed on the rear of the tractor, increasing further the machine's versatility with a loading height of up to 5.05 meters and lift capacity of up to 3 tonnes.



Why Buy?

FENDT CARGO - BENEFITS

- Designed, engineered and manufactured by Fendt for Fendt
- Forms an integral part of the machine when installed
- High-strength torsion-resistant steel arms for a long working life
- 12 months AGCO Parts warranty
- Up to 5 years extended warranty with Fendt Star Service



KEY HIGHLIGHTS


- Offers unrivalled access to all tractor and loader maintenance points without needing to remove the beam
- Loading height of up to 5.05 meters and lift capacity of up to 3 tonnes
- Refined parallel lift thanks to the Fendt Cargo Z-bar linkage design
- Superior installation packaging – from cabin controls to the protection of hydraulic components and sensors

FENDT CARGO COMPACT 4X/75

- Sits closer to the cab, increasing tractor stability and maneuverability
- All service points are still accessible (note: front windscreen cannot be opened with this installation)

FENDT CARGOPROFI

- Controls integrated in Varioterminal
- Ability to limit lifting height and tilt angle of beam
- Memo function - save arm and attachment position
- Weighing function - enabling the recording of loads and display on the Varioterminal
- Bucket shaking function



The settings for the CargoProfi are adjusted easily and intuitively with the Varioterminal.



Front loader with damping system:

Gas pressure reservoirs act as shock absorbers and prevent vibrations from being transmitted to the tractor body. The integral damping system (1), together with front axle suspension (2) and cab suspension (3), ensures superior ride comfort (optional).



Range applicability

| Beam | Fendt Cargo | Fendt CargoProfi | Application overview* |
|-------|-------------|------------------|--|
| 3X/65 | ■ | | Fendt 200/300 |
| 3X/70 | ■ | | Fendt 300 |
| 4X/75 | ■ | ■ | Fendt 300/400/500 (CargoProfi 300 S4 only) |
| 4X/80 | ■ | ■ | Fendt 400/500 (CargoProfi 500 only) |
| 4X/85 | ■ | | Fendt 700 (only with 28" front tyres) |
| 5X/85 | ■ | ■ | Fendt 700/800 |
| 5X/90 | ■ | ■ | Fendt 700/800 |

**Exclusions may apply*

With a range of seven loader models and over a hundred beam specifications to choose from including standard Cargo and CargoProfi, there is a Fendt front loader for any task. Included in the range are six selected Fendt front loader specifications and installation parts for key machines, all with 3rd Hydraulic Service, Multi-Coupling and Damping, that are stocked and ready for dispatch. Every available beam specification has its own part number for ease of ordering.

Choose your beam and tractor application (Stocked beams in BOLD)

| 3X/65 | Number of hydraulic circuits | Locking device | Damping | Fendt Green | | Nature Green | | Fendt 200 Vario 207-211 | Fendt 300 Vario 309-312 | Fendt 300 Vario SCR 309-313 | Fendt 300 S4 310-313 | Fendt 400 Vario 409-412 | Fendt 400 Vario 411-415 | Fendt 500 Vario SCR 512-516 |
|-------|------------------------------|----------------|---------|-------------------------|-----------|-------------------------|-----------|-------------------------|-------------------------|-----------------------------|----------------------|-------------------------|-------------------------|-----------------------------|
| | | | | Part number | Code | Part number | Code | F330 -334 | F336 -339 | F322 -340 | F347 -350 | F409 -412 | F400 -404 | F413 -416 |
| Cargo | 2 | | | 0974.259.310.000 | BJ | 0974.259.310.500 | BJ | ■ | ■ | ■ | ■ | | | |
| Cargo | 3 | | | 0974.259.320.000 | BJ | 0974.259.320.500 | BJ | ■ | ■ | ■ | ■ | | | |
| Cargo | 3 | | ■ | 0974.259.330.000 | BI | 0974.259.330.500 | BI | ■ | ■ | ■ | ■ | | | |
| Cargo | 4 | | | 0974.259.340.000 | BJ | 0974.259.340.500 | BJ | ■ | ■ | ■ | ■ | | | |
| Cargo | 4 | | ■ | 0974.259.350.000 | BJ | 0974.259.350.500 | BJ | ■ | ■ | ■ | ■ | | | |

| 3X/70 | Number of hydraulic circuits | Locking device | Damping | Fendt Green | | Nature Green | | Fendt 200 Vario 207-211 | Fendt 300 Vario 309-312 | Fendt 300 Vario SCR 309-313 | Fendt 300 S4 310-313 | Fendt 400 Vario 409-412 | Fendt 400 Vario 411-415 | Fendt 500 Vario SCR 512-516 |
|-------|------------------------------|----------------|---------|------------------|------|------------------|------|-------------------------|-------------------------|-----------------------------|----------------------|-------------------------|-------------------------|-----------------------------|
| | | | | Part number | Code | Part number | Code | F330 -334 | F336 -339 | F322 -340 | F347 -350 | F409 -412 | F400 -404 | F413 -416 |
| Cargo | 2 | | | 0974.271.410.100 | BJ | 0974.271.410.500 | BJ | | ■ | ■ | ■ | | | |
| Cargo | 3 | | | 0974.271.420.100 | BJ | 0974.271.420.500 | BJ | | ■ | ■ | ■ | | | |
| Cargo | 3 | | ■ | 0974.271.430.100 | BJ | 0974.271.430.500 | BJ | | ■ | ■ | ■ | | | |
| Cargo | 4 | | | 0974.271.440.100 | BJ | 0974.271.440.500 | BJ | | ■ | ■ | ■ | | | |
| Cargo | 4 | | ■ | 0974.271.450.100 | BJ | 0974.271.450.500 | BJ | | ■ | ■ | ■ | | | |

Choose your beam and tractor application (Stocked beams in BOLD)

| 4X/75 | Number of hydraulic circuits | Locking device | Damping | Fendt Green | | Nature Green | | Fendt 300 Vario 309-312 | Fendt 300 Vario SCR 309-313 | Fendt 300 Vario S4 310-313 | Fendt 400 Vario 409-412 | Fendt 400 Vario 411-415 | Fendt 500 Vario SCR 512-516 | Fendt 500 Vario S4 512-516 |
|------------|------------------------------|----------------|---------|-------------------------|-----------|-------------------------|-----------|-------------------------|-----------------------------|----------------------------|-------------------------|-------------------------|-----------------------------|----------------------------|
| | | | | Part number | Code | Part number | Code | F336 -339 | F322 -340 | F347 -350 | F409 -412 | F400 -404 | F413 -416 | F435 -438 |
| Cargo | 2 | | | 0974.231.310.100 | BJ | 0974.231.310.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 3 | | | 0974.231.320.100 | BJ | 0974.231.320.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 3 | | ■ | 0974.231.330.100 | BI | 0974.231.330.500 | BI | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 3 | ■ | ■ | 0974.231.420.100 | BJ | 0974.231.420.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 4 | | | 0974.231.340.100 | BJ | 0974.231.340.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 4 | | ■ | 0974.231.350.100 | BJ | 0974.231.350.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 4 | ■ | ■ | 0974.231.440.100 | BJ | 0974.231.440.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| CargoProfi | 4 | | ■ | 0974.242.550.000 | BJ | 0974.242.550.500 | BJ | | | ■ | | | | |
| CargoProfi | 4 | ■ | ■ | 0974.242.650.000 | BJ | 0974.242.650.500 | BJ | | | ■ | | | | |

| 4X/75 COMPACT | Number of hydraulic circuits | Locking device | Damping | Fendt Green | | Nature Green | | Fendt 300 Vario 309-312 | Fendt 300 Vario SCR 309-313 | Fendt 300 Vario S4 310-313 | Fendt 400 Vario 409-412 | Fendt 400 Vario 411-415 | Fendt 500 Vario SCR 512-516 | Fendt 500 Vario S4 512-516 |
|------------------|------------------------------|----------------|---------|------------------|------|------------------|------|-------------------------|-----------------------------|----------------------------|-------------------------|-------------------------|-----------------------------|----------------------------|
| | | | | Part number | Code | Part number | Code | F336 -339 | F322 -340 | F347 -350 | F409 -412 | F400 -404 | F413 -416 | F435 -438 |
| Cargo | 2 | | | 0974.241.310.000 | BJ | 0974.241.310.500 | BJ | | | ■ | | | | |
| Cargo | 3 | | | 0974.241.320.000 | BJ | 0974.241.320.500 | BJ | | | ■ | | | | |
| Cargo | 3 | | ■ | 0974.241.330.000 | BJ | 0974.241.330.500 | BJ | | | ■ | | | | |
| Cargo | 3 | ■ | ■ | 0974.241.420.000 | BJ | 0974.241.420.500 | BJ | | | ■ | | | | |
| Cargo | 4 | | | 0974.241.340.000 | BJ | 0974.241.340.500 | BJ | | | ■ | | | | |
| Cargo | 4 | | ■ | 0974.241.350.000 | BJ | 0974.241.350.500 | BJ | | | ■ | | | | |
| Cargo | 4 | ■ | ■ | 0974.241.440.000 | BJ | 0974.241.440.500 | BJ | | | ■ | | | | |

| 4X/80 | Number of hydraulic circuits | Locking device | Damping | Fendt Green | | Nature Green | | Fendt 300 Vario 309-312 | Fendt 300 Vario SCR 309-313 | Fendt 300 Vario S4 310-313 | Fendt 400 Vario 409-412 | Fendt 400 Vario 411-415 | Fendt 500 Vario SCR 512-516 | Fendt 500 Vario S4 512-516 |
|------------|------------------------------|----------------|---------|-------------------------|-----------|-------------------------|-----------|-------------------------|-----------------------------|----------------------------|-------------------------|-------------------------|-----------------------------|----------------------------|
| | | | | Part number | Code | Part number | Code | F336-339 | F322-340 | F347-350 | F409-412 | F400-404 | F413-416 | F435-438 |
| Cargo | 2 | | | 0974.233.310.000 | BJ | 0974.233.310.500 | BJ | | | | ■ | ■ | ■ | ■ |
| Cargo | 3 | | | 0974.233.320.000 | BJ | 0974.233.320.500 | BJ | | | | ■ | ■ | ■ | ■ |
| Cargo | 3 | | ■ | 0974.233.330.000 | BI | 0974.233.330.500 | BI | | | | ■ | ■ | ■ | ■ |
| Cargo | 3 | ■ | ■ | 0974.233.420.000 | BJ | 0974.233.420.500 | BJ | | | | ■ | ■ | ■ | ■ |
| Cargo | 4 | | | 0974.233.340.000 | BJ | 0974.233.340.500 | BJ | | | | ■ | ■ | ■ | ■ |
| Cargo | 4 | | ■ | 0974.233.350.000 | BJ | 0974.233.350.500 | BJ | | | | ■ | ■ | ■ | ■ |
| Cargo | 4 | ■ | ■ | 0974.233.440.000 | BJ | 0974.233.440.500 | BJ | | | | ■ | ■ | ■ | ■ |
| CargoProfi | 4 | | ■ | 0974.234.550.000 | BJ | 0974.234.550.500 | BJ | | | | | | ■ | ■ |
| CargoProfi | 4 | ■ | ■ | 0974.234.650.000 | BJ | 0974.234.650.500 | BJ | | | | | | ■ | ■ |

| 4X/85 | Number of hydraulic circuits | Locking device | Damping | Fendt Green | | Nature Green | | Fendt 700 Vario 711-712 | Fendt 700 Vario 714-716 | Fendt 700 Vario 712-718 | Fendt 700 Vario SCR 714-724 | Fendt 700 Vario S4 714-724 | Fendt 800 Vario 815-818 | Fendt 800 Vario 818-820 | Fendt 800 Vario S4 822-828 |
|-------|------------------------------|----------------|---------|-------------------------|-----------|-------------------------|-----------|-------------------------|-------------------------|-------------------------|-----------------------------|----------------------------|-------------------------|-------------------------|----------------------------|
| | | | | Part number | Code | Part number | Code | F711-712 | F714-716 | F724-727 | F732-737 | F738-743 | F715-718 | F729-731 | F839-842 |
| Cargo | 2 | | | 0974.237.310.100 | BJ | 0974.237.310.500 | BJ | ■ | ■ | ■ | ■ | ■ | | | |
| Cargo | 3 | | | 0974.237.320.100 | BJ | 0974.237.320.500 | BJ | ■ | ■ | ■ | ■ | ■ | | | |
| Cargo | 3 | | ■ | 0974.237.330.100 | BI | 0974.237.330.500 | BI | ■ | ■ | ■ | ■ | ■ | | | |
| Cargo | 3 | ■ | ■ | 0974.237.420.100 | BJ | 0974.237.420.500 | BJ | ■ | ■ | ■ | ■ | ■ | | | |
| Cargo | 4 | | | 0974.237.340.100 | BJ | 0974.237.340.500 | BJ | ■ | ■ | ■ | ■ | ■ | | | |
| Cargo | 4 | | ■ | 0974.237.350.100 | BJ | 0974.237.350.500 | BJ | ■ | ■ | ■ | ■ | ■ | | | |
| Cargo | 4 | ■ | ■ | 0974.237.440.100 | BJ | 0974.237.440.500 | BJ | ■ | ■ | ■ | ■ | ■ | | | |

The 4X/85 Beam can also be installed as a Cargo R on the rear of a Fendt 800 and 900

Choose your beam and tractor application (Stocked beams in BOLD)

| 5X/85 | Number of hydraulic circuits | Locking device | Damping | Fendt Green | | Nature Green | | Fendt 700 Vario 711-712 | Fendt 700 Vario 714-716 | Fendt 700 Vario 712-718 | Fendt 700 Vario SCR 714-724 | Fendt 700 Vario 54 714-724 | Fendt 800 Vario 815-818 | Fendt 800 Vario 818-820 | Fendt 800 Vario 54 822-828 |
|------------|------------------------------|----------------|---------|-------------------------|-----------|-------------------------|-----------|-------------------------|-------------------------|-------------------------|-----------------------------|----------------------------|-------------------------|-------------------------|----------------------------|
| | | | | Part number | Code | Part number | Code | F711-712 | F714-716 | F724-727 | F732-737 | F738-743 | F715-718 | F729-731 | F839-842 |
| | | | | | | | | | | | | | | | |
| Cargo | 3 | | | 0974.235.320.100 | BJ | 0974.235.320.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 3 | | ■ | 0974.235.330.100 | BI | 0974.235.330.500 | BI | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 3 | ■ | ■ | 0974.235.420.100 | BJ | 0974.235.420.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 4 | | | 0974.235.340.100 | BJ | 0974.235.340.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 4 | | ■ | 0974.235.350.100 | BJ | 0974.235.350.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 4 | ■ | ■ | 0974.235.440.100 | BJ | 0974.235.440.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| CargoProfi | 4 | | ■ | 0974.239.550.100 | BJ | 0974.239.550.500 | BJ | | | | ■ | ■ | | | |
| CargoProfi | 4 | ■ | ■ | 0974.239.640.100 | BJ | 0974.239.640.500 | BJ | | | | ■ | ■ | | | |

| 5X/90 | Number of hydraulic circuits | Locking device | Damping | Fendt Green | | Nature Green | | Fendt 700 Vario 711-712 | Fendt 700 Vario 714-716 | Fendt 700 Vario 712-718 | Fendt 700 Vario SCR 714-724 | Fendt 700 Vario 54 714-724 | Fendt 800 Vario 815-818 | Fendt 800 Vario 818-820 | Fendt 800 Vario 54 822-828 |
|------------|------------------------------|----------------|---------|-------------------------|-----------|-------------------------|-----------|-------------------------|-------------------------|-------------------------|-----------------------------|----------------------------|-------------------------|-------------------------|----------------------------|
| | | | | Part number | Code | Part number | Code | F711-712 | F714-716 | F724-727 | F732-737 | F738-743 | F715-718 | F729-731 | F839-842 |
| | | | | | | | | | | | | | | | |
| Cargo | 3 | | | 0974.236.320.100 | BJ | 0974.236.320.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 3 | | ■ | 0974.236.330.100 | BI | 0974.236.330.500 | BI | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 3 | ■ | ■ | 0974.236.420.100 | BJ | 0974.236.420.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 4 | | | 0974.236.340.100 | BJ | 0974.236.340.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 4 | | ■ | 0974.236.350.100 | BJ | 0974.236.350.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Cargo | 4 | ■ | ■ | 0974.236.440.100 | BJ | 0974.236.440.500 | BJ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| CargoProfi | 4 | | ■ | 0974.240.550.100 | BJ | 0974.240.550.500 | BJ | | | | ■ | ■ | | | |
| CargoProfi | 4 | ■ | ■ | 0974.2340.640.100 | BJ | 0974.240.640.500 | BJ | | | | ■ | ■ | | | |



Installation Parts

Key models listed. Other applications available.

| Fendt 200 Vario | 3X/65 3X/70 | |
|------------------------|-------------------------------|--|
| 0074.264.100.000 | Mounting console | |
| 0074.264.103.000 | Front axle supplement parts* | *Tractors with front Powerlift only |
| 0074.264.104.000 | Front axle supplement parts* | *Tractors without front Powerlift with suspended front axle |
| 0074.264.105.000 | Front axle supplement parts* | *Tractors without front Powerlift without suspended front axle |
| 0074.264.106.000 | Bonnet protection* | *Colour Fendt Green |
| 0074.264.107.000 | Bonnet protection* | *Colour Nature Green |
| 0074.204.100.000 | Multi coupling (tractor side) | |
| 0059.338.103.000 | Supplement parts | |
| 0074.268.100.000 | Supplement parts | |
| 0074.208.105.000 | Operating element | |

| Fendt 300 Vario SCR | 3X/65 3X/70 4X/75 | |
|----------------------------|-------------------------------|--|
| 0074.205.100.000 | Mounting console | |
| 0074.204.100.000 | Multi coupling (tractor side) | |
| 0074.204.107.000 | Mounting Multi coupling | |
| 0074.204.102.000 | Supplement parts | |
| 0074.208.100.000 | Operating element | |

| Fendt 300 Vario S4 | 3X/65 3X/70 4X/75 | |
|---------------------------|-------------------------------|----------------------|
| 003F.125.892.100 | Mounting console* | *Colour Fendt Green |
| 003F.125.892.500 | Mounting console* | *Colour Nature Green |
| 0074.204.100.000 | Multi coupling (tractor side) | |
| 0074.204.105.000 | Supplement parts* | *Profiline |
| 0074.204.205.000 | Supplement parts* | *Basisline |
| 0074.208.404.000 | Electrical components | |

| Fendt 300 Vario S4 - CargoProfi | 4X/75 | |
|--|--------------------------------|----------------------|
| 003F.125.892.100 | Mounting console* | *Colour Fendt Green |
| 003F.125.892.500 | Mounting console* | *Colour Nature Green |
| 0074.204.100.000 | Multi coupling (tractor side) | |
| 0074.204.105.000 | Supplement parts* | *Profiline |
| 0074.204.205.000 | Supplement parts* | *Basisline |
| 003F.132.900.100 | CargoProfi prep (Tractor side) | |
| 0074.208.404.000 | Electrical components | |
| 003C.149.900.100 | ISOBUS | |

| Fendt 400 Vario | 4X/75 4X/80 | |
|------------------------|-------------------------------|--|
| 0074.206.100.000 | Mounting console | |
| 0074.204.100.000 | Multi coupling (tractor side) | |
| 0074.204.103.000 | Supplement parts | |
| 0074.208.404.000 | Electrical components | |
| 0074.208.402.000 | Supplement parts | |

| Fendt 500 Vario SCR / S4 | 4X/75 4X/80 | |
|---------------------------------|-------------------------------|----------------------|
| 0074.308.100.000 | Mounting console | |
| 0074.308.104.000 | Bonnet protection* | *Colour Fendt Green |
| 0074.308.105.000 | Bonnet protection* | *Colour Nature Green |
| 0074.204.100.000 | Multi coupling (tractor side) | |
| 0074.204.108.000 | Supplement parts* | *Vario SCR only |
| 004F.111.960.100 | Supplement parts* | *Vario S4 only |
| 0074.208.404.000 | Electrical components | |
| 0074.030.100.000 | Electrical components* | *CargoProfi only |

| Fendt 700 Vario** | 4X/85 5X/85 | ** F711-716 / F724 - 727 |
|---------------------------|-------------------------------|--|
| Fendt 800 Vario*** | 5X/85 5X/90 | *** F729 - 731 Serial number break applies |
| 0074.207.100.000 | Mounting console | |
| 0074.207.102.000 | Container Hydraulic Oil*** | |
| 0074.204.100.000 | Multi coupling (tractor side) | |
| 0074.204.104.000 | Supplement parts | |
| 0074.208.400.000 | Operating element | |
| 0074.208.402.000 | Electrical components | |

| Fendt 700 Vario SCR / S4 | 4X/85 5X/85 5X/90 | |
|---------------------------------|-------------------------------|----------------------|
| 0074.215.200.000 | Mounting console | |
| 0074.308.104.000 | Bonnet protection* | *Colour Fendt Green |
| 0074.308.105.000 | Bonnet protection* | *Colour Nature Green |
| 0074.215.203.000 | Side covering* | *Vario S4 only |
| 0074.204.100.000 | Multi coupling (tractor side) | |
| 0074.204.106.000 | Supplement parts | |
| 0074.208.404.000 | Electrical components | |

| Fendt 700 Vario SCR / S4 - CargoProfi | 5X/85 5X/90 | |
|--|--|--|
| 0074.215.200.000 | Mounting console | |
| 0074.308.104.000 | Bonnet protection* | *Colour Fendt Green |
| 0074.308.105.000 | Bonnet protection* | *Colour Nature Green |
| 0074.215.203.000 | Side covering* | *Vario S4 only |
| 0074.204.100.000 | Multi coupling (tractor side) | |
| 0074.204.106.000 | Supplement parts | |
| 0074.208.404.000 | Electrical equipment | |
| 0074.022.100.000 | Electrical components CargoProfi (tractor side)* | *For new orders of Front Loader CargoProfi S4 |
| 0074.024.100.000 | Electrical components CargoProfi (tractor side)* | *For new orders of Front Loader CargoProfi SCR |

Cargo R Installation Parts

| | | |
|----------------------------------|-----------------------|--|
| Fendt 800 / 900 - Cargo R | 4X/85 | |
| 0069.063.100.000 | Electrical components | |
| 0069.019.100.000 | Installation frame | |

Implements



| Fendt Green | Nature Green | Description | Comment |
|--------------------|---------------------|--------------------|----------------|
| 007F.250.891.100 | 007F.250.891.500 | Universal scoop | 1600mm |
| 007F.251.891.100 | 007F.251.891.500 | Universal scoop | 1850mm |
| 007F.252.891.100 | 007F.252.891.500 | Universal scoop | 2100mm |
| 007F.253.891.100 | 007F.253.891.500 | Universal scoop | 2400mm |
| 007F.268.891.100 | 007F.268.891.500 | Bucket | 1850mm |
| 007F.269.891.100 | 007F.269.891.500 | Bucket | 2400mm |
| 007F.256.891.100 | 007F.256.891.500 | Heavy bucket | 1600mm |
| 007F.270.891.100 | 007F.270.891.500 | Heavy bucket | 2100mm |
| 0069.104.100.000 | 0069.104.500.000 | Silage bucket | 1800mm |
| 0069.105.100.000 | 0069.105.500.000 | Silage bucket | 2200mm |
| 0069.106.100.000 | 0069.106.500.000 | Bale fork | |
| 0069.075.100.000 | 0069.075.500.000 | Bale grabber | |
| 0069.080.100.000 | 0069.080.500.000 | Manure fork | 1500mm |
| 0069.081.100.000 | 0069.081.500.000 | Manure fork | 2100mm |
| 0074.314.100.000 | 0074.314.500.000 | Pallet fork | 2000kg |





REAR BALLAST

To optimise the performance of your Fendt Cargo, it is important to ensure your machine is set up correctly. Ask about the range of genuine monoblock and rear wheel weights available.

UP TO 5 YEARS EXTENDED WARRANTY

The Fendt Cargo is supported by the reassurance of AGCO Parts 12 month warranty, however with Fendt Star Service, as with all Genuine Accessories, the loader and installation warranty is covered for up to 5 years*

If fitted to the machine by a Fendt dealer within 12 months of first registration with Fendt Star Service extended warranty cover, the loader and installation parts are covered for the remainder of the warranty up to 5 years*

**Terms and conditions apply*

FENDT
StarService ★

The ultimate in uptime

FENDT

Leaders drive Fendt.



The
Genuine
Choice



© AGCO 2017. AGCO Parts provides worldwide genuine support to all AGCO machinery brands. A2678.17

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However inaccuracies, errors or omissions may occur and applicability data may be changed at anytime without notice. Therefore, applications should be confirmed prior to any purchase. Images for illustrative purposes only.