



**VALTRA**

**THE NEW**  
**GENUINE**  
**FRONT LOADER**  
GUIDE SUMMARY

**YOUR  
WORKING  
MACHINE**



**SPECIALISE IN  
EVERYTHING.**

**COMPROMISE ON  
NOTHING.**

The New Valtra Front Loader is available as a dealer fit installation from AGCO Parts. Key features include reduced weight for efficiency, increased beam strength for durability and up to 30% increased visibility for the operator in addition to a range of new options and refinements.

This enables you to upgrade an existing Valtra tractor to factory specification so you can equip your machine without compromise.




**GENUINE  
ACCESSORIES**



# FRONT LOADER HIGHLIGHTS

**VALTRA**



# FRONT LOADER HIGHLIGHTS

**VALTRA**

50% more durable due to new frame design

Reduced loader weight means more capacity in your bucket

50% less pressure drops

30% improved visibility

Lock & Go

100% Softdrive efficiency increase

Selecto-Fix (optional)







## TESTED IN EXTREME CONDITIONS. LIKE YOU.

Valtra machines are engineered and tested in the extreme Nordic climate. Built to be versatile and superior in strength, it's important when selecting a front loader that it can match Valtra's high levels of performance.

The new loaders were taken out onto the farm, into the forests and placed on stress rig tests pushing every aspect of the loader to its limit, ensuring you have the best front loader in the world for your working machine.

The new Valtra Front Loader is the genuine factory approved beam for your tractor.





## INNER STRENGTH.

Valtra Front Loader beams are designed to offer optimum torsional strength and durability and are supported by a robust, strong sub-frame, providing you with reliability you can count on. Whether it is moving pallets, carrying feed to livestock or unloading grain, you can always depend on the Valtra Front Loader.

The New Valtra Front Loader is 50% more durable, with hydraulics packaged inside a beam manufactured with precision welded Double U sections of steel, enabling a lighter loader with increased strength.







## WITH THE RIGHT TOOL FOR THE JOB, IT TAKES LESS WORK TO DO MORE.

There are thirty models available to suit your machine and capacity requirements. Each loader beam is specified with a euro carrier as standard.

Stocked beams are also preinstalled with 3 hydraulic services and damping. The beams can either be installed on existing machines with compatible mountings or if required, Valtra installation kits are also available for the A, N and T Series for both the 3rd and 4th generation.

There are a selection of hydraulic controls available, subject to machine and model. From the proven ErgoDrive to the convenient thumb control of the EasyDrive LCS and ElectroDrive LCS systems, there is a solution for all budgets.





## LIGHTEN THE LOAD.

Upgrade your loader with a heavy duty Loader Lighting Kit, ensuring visibility of the load. This is especially useful when working with pallet forks in poor light conditions. This can be retro fitted by the dealer.

## REAR BALLAST.

To ensure optimum performance it is important your machine is set up correctly and that rear ballast is considered. Failure to do so can reduce not only the beam performance but also tractor stability. When ordering your Valtra Front Loader, don't forget about the range of Genuine monoblock and rear wheel weights available through AGCO Parts.







## **UP TO 5 YEARS EXTENDED WARRANTY.**

The Valtra Front Loader is supported by the reassurance of AGCO Parts 12 month warranty, however with Valtra Care, as with all Genuine Accessories, the loader and installation warranty is covered for up to 5 years\*.

If fitted to the machine by a Valtra franchise dealer within 12 months of first registration with Valtra Care extended warranty cover, the loader and installation parts are covered for the remainder of the warranty up to 5 years\*.

*\*Terms and Conditions apply*

## **Valtra Care**





## STOCKED LOADER BEAMS AND OPTIONS.

AGCO Parts have the following range of Valtra Front Loaders, upgrades, installations and implements. These are all delivered direct from the factory in Suolahti to your Valtra dealer for installation.

The range is constantly expanding, so if you do not see the applicability or feature required then simply ask regarding availability.

Select your beam and installation, then choose any additional upgrades required.

We recommend your Valtra dealer contacts Customer Services with your machine serial number so that the technical team at Valtra can check your machine configuration and confirm the correct kits are quoted for and ordered.



# FRONT LOADER BEAMS

C3 PREMIUM	MODEL NAME	SERVICES	DAMPING	EURO	STOCKED	A74-A94	A104-AT14	PART NUMBER	
	G3	NP	2	-	•	-	•	-	ACW2374810
	G3S	P	2	-	•	-	•	-	ACW2375340
	G3L	P	2	-	•	-	•	•	ACW2380070
	G3S	P	3	•	•	•	•	-	ACP0346040

C4 PREMIUM	MODEL NAME	SERVICES	DAMPING	EURO	STOCKED	A104-AT14	A124-AT34	N4	PART NUMBER
	G4	NP	2	-	•	-	•	-	ACW2380110
	G4S	P	2	-	•	-	•	-	ACW2380120
	G4L	P	2	-	•	-	•	•	ACW2380130
	G4S ext	P	2	-	•	-	-	• <sup>2</sup>	ACW2432100
	G4M ext	P	2	-	•	-	-	• <sup>2</sup>	ACW2432110
	G4S	P	3	•	•	•	•	-	ACP0346050

C5 PREMIUM	MODEL NAME	SERVICES	DAMPING	EURO	STOCKED	A104-AT14	A124-AT34	N4	PART NUMBER
	G5	NP	2	-	•	-	•	• <sup>3</sup>	ACW2380150
	G5S	P	2	-	•	-	•	•	ACW2380160
	G5M	P	2	-	•	-	-	•	ACW2420940
	G5L	P	2	-	•	-	• <sup>1</sup>	•	ACW2380200
	G5S	P	3	•	•	•	•	•	ACP0346060

C6 PREMIUM	MODEL NAME	SERVICES	DAMPING	EURO	STOCKED	N4	T4	PART NUMBER	
	G6	NP	2	-	•	-	•	-	ACW2421200
	G6S	P	2	-	•	-	•	-	ACW2422060
	G6S ext	P	2	-	•	-	-	•	ACW2422160
	G6M ext	P	2	-	•	-	-	•	ACW2422670
	G6L	P	2	-	•	-	-	• <sup>4</sup>	ACW2432120
G6S	P	3	•	•	•	•	-	ACP0346070	

C7 PREMIUM	MODEL NAME	SERVICES	DAMPING	EURO	STOCKED	T4	PART NUMBER	
	C7S	P	2	-	•	-	• <sup>4</sup>	ACW2422760
	C7M	P	2	-	•	-	• <sup>4</sup>	ACW2422890
	C7S	P	3	•	•	•	• <sup>4</sup>	ACP0346080

VALTRA X - UTILITY	MODEL NAME	SERVICES	DAMPING	EURO	STOCKED	A74-A94	A104-AT14	A124-AT34	PART NUMBER
	Valtra X31	NP	2	-	•	-	•	-	ACW1586370
	Valtra X36	P	2	-	•	-	•	-	ACW1586540
	Valtra X41	NP	2	-	•	-	•	•	ACW1586560
	Valtra X46	P	2	-	•	-	-	•	ACW1586570
	Valtra X51	NP	2	-	•	-	-	•	ACW1586580
	Valtra X56	P	2	-	•	-	-	•	ACW1586600

NP = Non-Parallel / P = Parallel

1 = A104M & A114M Only, track width limit of 1900mm Max

2 = Only for N104-N124

3 = Not for N174

4 = Possible with front lift

→ INDICATES STOCKED ITEM ←



# INSTALLATION

MODEL	DESCRIPTION	APPLICATION	PART NUMBER
<b>A3</b>	Complete installation frame	All machines	VZ14325135
	EasyDrive LCS	All machines	AL15246EDA
	ElectroDrive LCS	All machines	AL15246FCA
	Ergodrive, right	All machines	VZ15246BAA

MODEL	DESCRIPTION	APPLICATION	PART NUMBER
<b>A4</b>	Complete installation frame	Valtra A74-A94	AL14329325
	Complete installation frame	Valtra A104-A114	AL14329925
	Complete installation frame	Valtra A124-A134	AL14329875
	EasyDrive LCS	Valtra A74-A94	AL15505EDA
	EasyDrive LCS	Valtra A104-A114	AL15506EDA
	EasyDrive LCS	Valtra A124-A134	AL15506EDA
	ElectroDrive LCS	Valtra A74-A94	AL15505FCA
	ElectroDrive LCS	Valtra A104-A114	AL15506FCA
	ElectroDrive LCS	Valtra A124-A134	AL15506FCA
	Ergodrive, right	Valtra A74-A94	AL15505BAA
	Ergodrive, right	Valtra A104-A114	AL15506BAA
	Ergodrive, right	Valtra A124-A134	AL15506BAA
	Beam protection*	Valtra A74-94 (G3S-G3M)	AL14350251
	Beam protection*	Valtra A74-94 (G3L)	AL14350252
	Beam protection*	Valtra A104-A114 / A124-A134 (G3L-G4M)	AL14350261
	Beam protection*	Valtra A104-A114 / A124-A134 (G4L)	AL14350262
* Only for use with snow plough fitment to restrict horizontal movement of the beam			

MODEL	DESCRIPTION	APPLICATION	PART NUMBER
<b>N3</b>	Complete installation frame	Not small N3	AL14326884
	EasyDrive LCS	N93-103 H3/H5, N103.4 H3/H5-N163	AL15293EDA
	ElectroDrive LCS	N93-103 H3/H5, N103.4 H3/H5-N163	AL15293FCA
	Ergodrive, right	N103.4, 113, 123, 103 (H3 & H5), N143 HiTech	AL15293BAA
	Ergodrive, right	N123, 143, 163 Direct/Versu	AL15300BAA

MODEL	DESCRIPTION	APPLICATION	PART NUMBER
<b>N4</b>	Complete installation frame	All machines	AL14329214
	EasyDrive LCS	N134, 154e, 174 Active	AL15435EDA
	EasyDrive LCS	N104, 114e, 134, 124, 154e, 174 HiTech	AL15436EDA
	ElectroDrive LCS	N134, 154e, 174 Active	AL15435FCA
	ElectroDrive LCS	N104, 114e, 134, 124, 154e, 174 HiTech	AL15436FCA
	Ergodrive, right	N104, 114e, 134, 124, 154e, 174 HiTech	AL15436BAA
Ergodrive, right	N134, 154e, 174 Active	AL15435BAA	

MODEL	DESCRIPTION	APPLICATION	PART NUMBER
<b>T3</b>	Complete installation frame	HiTech	AL14326345
	Complete installation frame	Versu/Direct	AL14325125
	EasyDrive LCS	T133-T173 HiTech	AL15028EDA
	ElectroDrive LCS	T133-T173 HiTech	AL15028FCA
	Ergodrive, right	T133, T153 Eco, 193 HiTech	VZ15028BAA
	Ergodrive, right	T153, 163,183, 203, 213 Direct/Versu	AL15337BAA

MODEL	DESCRIPTION	APPLICATION	PART NUMBER
<b>T4</b>	Complete installation frame	All machines	AL14329354
	EasyDrive LCS	T144, 154, 174, 174e, 194, 214, 234 Active	AL15412EDA
	EasyDrive LCS	T144, 154, 174, 174e, 194, 214, 234 HiTech	AL15462EDA
	ElectroDrive LCS	T144, 154, 174, 174e, 194, 214, 234 Active	AL15412FCA
	ElectroDrive LCS	T144, 154, 174, 174e, 194, 214, 234 HiTech	AL15462FCA
	Ergodrive, right	T144, 154, 174, 174e, 194, 214, 234 Active	AL15412BAA
	Ergodrive, right	T144, 154, 174, 174e, 194, 214, 234 HiTech	AL15462BAA

\*Refer to partsbooks or contact Customer Services for the Beam Protection for your machine.

### IMPORTANT:

Specifications are for guidance. To ensure compatibility with your Valtra, please contact customer services with your serial number and confirm parts required before ordering. New accessory hits are being released to expand and support the Valtra Front Loader offer.

## TOOL CARRIER

TOOL CARRIERS		PART NUMBER	
PREMIUM	Euro/Ålö	ACW2427100	
	Euro/SMS	ACW2390560	
	Euro/Valtra	ACW2427110	
	Euro*	Standard fit on Valtra Front Loader	-
	Stora BM	ACW2427160	
	Euro/FX	ACW2404350	
	Euro/MX	ACW2404430	
VALTRAX	Euro*	Standard fit on Valtra Front Loader	-
	Euro/SMS	ACW1625820	

\*The Valtra Front Loader comes complete with the Euro Tool Carrier

## UPGRADES

NEW VALTRA FRONT LOADER ACCESSORIES		PART NUMBER
PREMIUM	SELECTO 3	ACV0819790
	SELECTO 3 + Hydraulic Implement Lock	ACV0819800
	Electronic Soft drive	ACV0819810
	Electronic Soft drive + Sel 3	ACV0819820
	Electronic Soft drive + Sel 3& 4	ACV0819840
	Electronic Soft drive + Sel 3 + Hydraulic Implement Lock	ACV0819850
	Electronic Soft drive + Sel 3 & 4 + Hydraulic Implement Lock	ACV0819860
	Electronic Soft drive + 3live+ Hydraulic Implement Lock (Versu / Direct)	ACV0819990
	Electronic Soft drive + 3live+Sel 4 + Hydraulic Implement Lock (Versu / Direct)	ACV0820000
	Selecto-Fix Implement part	V63777000
Selecto-Fix Loader part	V63776900	
Lighting kit with twin 10W LED Lamps	ACP0344140	

\*3live - Only compatible with ElectroDrive LCS.  
Refer to Customer Services for details

NEW VALTRA X FRONT LOADER ACCESSORIES		PART NUMBER
VALTRAX	SELECTO 3	ACW1626730
	Soft drive, Mechanical	ACW1599290
	Soft drive, Mechanical +SELECTO 3	ACW1599320

# BUCKETS (Ask for details on other implements required)

IMPLEMENTS FOR FRONT LOADERS			VALTRA FRONT LOADER MODEL											PART NUMBER		
			V2, V3	V4, V5, V6	V7, V8	Valtra X3	Valtra X4	Valtra X5	C3	C4	C5	C6	C7			
<b>BUCKETS SERIES L - LV</b>	<b>WIDTH</b>	<b>VOLUME</b>														
	130 L	510 Litre		•	•		•	•	•	•	•	•	•	•	•	AL11251748Q
	180 L	710 Litre		•	•		•	•	•	•	•	•	•	•	•	AL11251198Q
	200 LV	1130 Litre		•	•		•	•	•	•	•	•	•	•	•	AL11251208Q
	220 LV	1250 Litre		•	•		•	•	•	•	•	•	•	•	•	Z11251778Q
<b>BUCKETS SERIES H</b>	<b>WIDTH</b>	<b>VOLUME</b>														
	135 H	540 Litre		•			•			•						AL11251018Q
	160 H	650 Litre		•	•		•	•	•	•	•	•	•	•	•	AL11251028Q
	185 H	720 Litre		•	•	•	•	•	•	•	•	•	•	•	•	AL11251038Q
	210 H	820 Litre			•	•		•	•		•	•	•	•	•	AL11251048Q
	240 H	950 Litre				•									•	AL11251058Q
<b>BUCKETS SERIES HV</b>	<b>WIDTH</b>	<b>VOLUME</b>														
	200 HV 200 HV	1160 Litre		•			•			•						AL11251148Q
	220 HV	1280 Litre		•	•		•	•	•	•	•	•	•	•	•	AL11251158Q
	240 HV	1700 Litre			•	•		•	•		•	•	•	•	•	AL11251168Q
	260 HV	1850 Litre				•									•	AL11251178Q



# BUCKETS (Ask for details on other implements required)

IMPLEMENTS FOR FRONT LOADERS			VALTRA FRONT LOADER MODEL											PART NUMBER		
			V2, V3	V4, V5, V6	V7, V8	Valtra X3	Valtra X4	Valtra X5	C3	C4	C5	C6	C7			
<b>BUCKETS SERIES HD</b>	<b>WIDTH</b>	<b>VOLUME</b>														
	185 HD	720 Litre		•	•	•	•	•	•	•	•	•	•	•	•	AL11251068Q
	200 HV															
	210 HD	820 Litre			•	•		•	•		•	•	•	•		AL11251078Q
	240 HD	950 Litre			•	•		•	•		•	•	•	•		AL11251088Q
	260 HD	1030 Litre				•									•	AL11251098Q
<b>BUCKETS SERIES HT</b>	<b>WIDTH</b>	<b>VOLUME</b>														
	135 HT	540 Litre		•			•			•						AL11251108Q
	160 HT	650 Litre		•	•			•	•		•	•	•			AL11251118Q
	185 HT	720 Litre		•	•	•		•	•		•	•	•	•		AL11251128Q
	210 HT	820 Litre			•	•		•	•		•	•	•	•		AL11251138Q
<b>GRADING BUCKET</b>	<b>WIDTH</b>	<b>VOLUME</b>														
	220 200 HV	650 Litre		•	•	•		•	•		•	•	•	•		AL11251528Q
REMARKS: if the loader has the quick couplers on the cross tube, a long hose kit will be needed: contact customer services.																
<b>HIGH TIP BUCKET</b>	<b>WIDTH</b>	<b>VOLUME</b>														
	230	2000Litre			•	•		•	•		•	•	•	•		AL11252678Q
	220				•	•		•	•		•	•	•	•		AL11252668Q



## BALLAST

REAR WEIGHT					
MATERIAL	WEIGHT	APPLICATION	INFORMATION		PART NUMBER
Cast	600kg	Refer to machine	Valtra V branded weight		ACV0765450
Cast	900kg	Refer to machine	AGCO branded weight		4385284M98
Cast	600 +600kg	Refer to machine	Valtra V branded weight - Two piece		ACV0765440
Magnetite	600kg	Refer to machine	AGCO Parts branded weight		ACP0139490
Magnetite	900kg	Refer to machine	AGCO Parts branded weight		ACP0133290

WHEEL WEIGHTS					
MATERIAL	WEIGHT	APPLICATION	INFORMATION	QTY	PART NUMBER
Cast	50kg	A4	Nuts and Spacers required	1	ACW1536480
Cast	100kg	A4	Nuts and Spacers required	2	ACW1536630
Cast	150kg	A4	Nuts and Spacers required	1	ACW1536480
				2	ACW1536630
Cast	80kg	N4	Nuts and Spacers required	2	ACV0257040
Cast	80kg	N4	Nuts and Spacers required	3	ACV0257040
Cast	80kg	T4	Nuts and Spacers required	2	ACV0257040
Cast	80kg	T4	Nuts and Spacers required	3	ACV0257040



# GENUINE ACCESSORIES



© AGCO 2018. AGCO Parts provides worldwide genuine support to all AGCO machinery brands. A2911.18

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However inaccuracies, errors or omissions may occur and applicability data may be changed at any time without notice. Therefore, applications should be confirmed prior to any purchase. Images for illustrative purposes only.