



Paint Application REFERENCE GUIDE



INDEX

TECHNICAL DATA	Page
AGCO Acrylic Enamels	3 - 4
AGCO 2.8 VOC Machinery Enamels	5 - 6
AGCO Machinery Enamel Aerosols	7 - 8
AGCO Machinery Enamel Primer	9 - 10
Ag-Chem URA-ZEN™ (Urethane) Paints	11
Ag-Chem Enamel Paint.	12
PAINT APPLICATION GUIDE	
AGCO	13 - 15
AGCOStar	16
Allis-Chalmers	17 - 23
Black Machine	23
Challenger	24 - 30
Cockshutt	31
Farmhand	31
Fendt	32
Gleaner	33
Glencoe	34
Hesston.	34
Massey Ferguson	35 - 47
Minneapolis Moline	47
New Idea	48 - 50
Oliver	50
RoGator	51
SAME	52
SpraCoupe.	53 - 54
Sunflower	55
TerraGator	56
Tye	57
Valtra	57
White	58 - 59
Willmar.	60 - 61
THINNERS, PRIMERS and HARDENERS	62
PAINT INDEX	63 - 67

Paint Colors Effective From 2013!

When ordering, pay specific attention to the model year the equipment was manufactured. The following paint colors have been affected.

Fendt Green (2013 - Present)

MF-50 Red (2013 - Present)

Challenger Yellow (2013 - Present)

MF-50 Chassis Gray (2013 - Present)

Black Gloss (2013 - Present)

Interior Cab Gray (2013 - Present)

Cab Silver (2013 - Present)



TECHNICAL DATA

AGCO ACRYLIC ENAMELS

Product Type:	Fast Dry Acrylic Modified Alkyd	
Gloss:	90+ on 60° / 80+ on 20°	
Semi Gloss Black:	40 ± on 60	
Solids:	By Weight 45.50% By Volume 37.24%	
Weight per Gallon:	8.28 lbs. (3.75 kg)	
Surface:	Metal, Fiberglass	
Primer:	AGCO Fast Dry Primer (May 14, 2010 may be applied directly to properly prepared surfaces)	
Conventional Spray:	(Brinks or equal)	
Hank Gun	18, 19, 29 or 62	
Fluid Tip	66	
Orifice	.070	
Air Cap	66	
Atomizing Pressure	40 – 60 PSI	
Fluid Pressure	20 – 30 PSI	
Airless:	(Graco or equal)	
Minimum Pump Ratio	30:1	
Tip	.015 – .018	
Pressure	1800 – 2000 PSI	
HVLP:	Fluid Tip	Air Cap
Accuspray Series 10	.036	#9
Brinks M1G	#94	93P
Devilbi ss JGHV-530	GX	#33
Devilbi ss GFHV-501	DFW	#57
Mattson LP-DC	.040 Gold	
Sata NR92/95 Gravity	1.7mm	
Sharpe SGF-HVLP	1.4mm (.055)	#12
Sharpe 975HVLP Pressure	0.8mm	#12S
Reduction:	Up to 8:1 (Paint: AGCO Thinner)	
Hardener:	8:1:1 (Paint: AGCO Thinner: Renew Hardener Part No. 79022595)	

Features:

- Matches Original Finish
- Fast Dry, Minimal Down Time
- Superior Gloss & Color Retention
- Durable
- Outstanding Adhesion, Flexibility and Chip
- Resistance

Description:

An acrylic modified alkyd enamel designed to provide the extreme gloss and weathering performance of an acrylic with the ease of an alkyd application.

Surface Preparation:

The surface must be clean, dry and free of all dirt, rust and other foreign matter. Remove all loose, peeling or cracked paint. Feather sand (using 400 sandpaper) rough edges, followed by solvent wipe. Allow 10 – 20 minutes for solvent flash off. Prime bare metal. Glossy surfaces must be lightly sanded to ensure proper adhesion.

Fiberglass:

Scrub with foaming cleaner, rinse well and allow to dry. Sand fiberglass thoroughly to completely remove gloss and provide adhesion. Wipe surface with solvent and allow to dry.

Galvanized:

AGCO specifies galvanized surfaces be supplied dry, which eliminates the usual requirement to remove all oils from the surface. Remove all loose, peeling or cracked surface. Lightly sand (using 400 sandpaper) all new and aged galvanized surfaces to ensure good adhesion. Feather sand (using 400 sandpaper) rough edges, followed by solvent wipe. Allow 10 – 20 minutes for solvent flash off.

Priming:

To ensure best results, bare ferrous metal should be primed with AGCO Fast Dry Primers. AGCO Primers may be topcoated within 1½ hours and should be topcoated within 5 days. If primer stands longer than 5 days, surface must be properly prepared again.

Application:

Stir thoroughly, using circular, lifting motion. Due to fast dry properties, spray application is recommended. Apply when surface and air temperatures range between 40F (4°C) -90F (32°C).

Spray Application:

Reduce with AGCO Thinner up to 8:1, reduction may vary with types of equipment and atmospheric conditions. Spray a mist or tack coat, followed by a full wet coat to avoid runs and sags. Start at the top of equipment and work down to eliminate dry spray which dulls the finish.

With Hardener:

(FOR PROFESSIONAL OR INDUSTRIAL USE ONLY)

Add Renew Hardener 8:1:1, Paint:Hardener:Thinner. Allow mixture to set for 15 - 20 minutes before using, mix again thoroughly before application. Do not mix more than will be used within an 8 hour period. Do not use material that has started to body. High temperatures will reduce pot life.

Recoating:

When more than one coat is desired, recoat within 2 hours or after 48 hours. Heavy film, high humidity or low temperatures will lengthen the recommended time interval before recoat. In those conditions, recoat should be tested on small, hidden areas.

Spreading Rate:

400 - 500 square foot per gallon, depending upon method of application and type of surface.

Drying Time:

Dries to touch in 60 - 90 minutes under average temperature and humidity. Equipment may be handled in 24 - 36 hours. Do not wax equipment for 2 weeks. Dry time will vary due to atmospheric conditions. With Hardener, dries to touch within 15 - 30 minutes under average temperature and humidity. Equipment may be handled within 2 - 4 hours. Do not wax equipment for 2 weeks. Dry time will vary due to atmospheric conditions.

Clean Up:	Clean up tools and spatters immediately with AGCO thinner
Spreading Thickness:	450 + sq. ft. per gallon
Film Thickness:	2.5 - 3.0 mils wet 1.2 mils dry
Surface Temperature:	
Minimum / Maximum	40°F/90°F (4°C/32°C)
With Hardener	
Dry Time:	
To Touch	15 - 30 minutes
To Handle	2 - 4 hours
Full Cure	14 days
Recoat Time:	Within 2 hours or after 48 hours
Clean Up & Reducer:	AGCO Thinner (79015024, 1904947M1, 79037146 (Low V.O.C))
VOC:	
Product Unreduced	485 g/L - 508 g/L
At Recommended Reduction	521 g/L - 542 g/

Technical Assistance: ValsparAMS@valspar.com

Safety Precautions:

Always paint in well-ventilated areas. Use an approved respirator when sanding or spraying. Never spray near open flame of other ignition sources. Safety glasses and gloves should be worn when handling any paint product. See Safety Material Sheet and Product Label for further safety precautions and handling information.

Hardener for Professional or Industrial Use Only.

The data on this sheet represents typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. VALSPAR assumes no obligation or liability for use of this information. UNLESS VALSPAR AGREES OTHERWISE IN WRITING, VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Your only remedy for any defect in this product is the replacement of the defective product or a refund of the purchase price at our option.



TECHNICAL DATA AGCO 2.8 VOC MACHINERY ENAMELS

Product Type:	2.8 VOC Alkyd Enamel
Gloss:	90+ on 60° / 80+ on 20°
Solids:	By Weight 57.5% By Volume 49.4%
Weight per Gallon:	8.23 lbs. (3.73 kg)
Surface:	Metal, Fiberglass
Reduction:	Up to 6:1 (Paint: Acetone)
Hardener:	6:1:1 (Paint: Renew Hardener Part No. 7902349 Acetone)
Spreading Thickness:	750 + sq. ft. per gallon
Film Thickness:	2.5 – 3.0 mils wet 1.5 – 2.5 mils dry
Surface Temperature:	
Minimum / Maximum	40°F/90°F (4°C/32°C)
Dry Time:	
To Touch	2 – 4 hours
To Handle	12 – 24 hours
Full Cure	14 days
Recoat Time:	Within 30 minutes or after 36 hours of the last coat
With Hardener	
Dry Time:	
To Touch	30 – 60 minutes
To Handle	4 – 6 hours
Full Cure	14 days
Clean Up & Reducer:	ACETONE

IMPORTANT:

Use of other type of thinner will raise VOC level of the paint.

Technical Assistance: ValsparAMS@valspar.com

Features:

- 2.8 VOC Compliant
- Matches Original Finish
- Superior Gloss & Color Retention
- Durable
- Outstanding Adhesion, Flexibility, and Chip Resistance

Description:

A 2.8 VOC compliant alkyd enamel designed to provide the extreme gloss and weathering performance of an acrylic with the ease of an alkyd application.

Surface Preparation:

The surface must be clean, dry and free of all dirt, rust and other foreign matter. Remove all loose, peeling or cracked paint. Feather sand (using 400 sandpaper) rough edges, followed by solvent wipe. Allow 10-20 minutes for solvent flash off. Prime bare metal. Glossy surfaces must be lightly sanded to ensure proper adhesion.

Fiberglass:

Scrub with foaming cleaner, rinse well and allow to dry. Sand fiberglass thoroughly to completely remove gloss and provide adhesion. Wipe surface with solvent and allow to dry.

Galvanized:

AGCO specifies galvanized surfaces be supplied dry, which eliminates the usual requirement to remove all oils from the surface. Remove all loose, peeling or cracked surface. Lightly sand (using 400 sandpaper) all new and aged galvanized surfaces to ensure good adhesion. Feather sand (using 400 sandpaper) rough edges, followed by solvent wipe. Allow 10-20 minutes for solvent flash off.

Priming:

To ensure best results, bare ferrous metal should be primed with AGCO Fast Dry Primers. AGCO Primers may be topcoated within 1 ½ hours and should be topcoated within 5 days. If primer stands longer than 5 days, surface must be properly prepared again.

Application:

Stir thoroughly, using circular, lifting motion. Apply when surface and air temperatures range between 40°F/90°F (4°C/32°C).

Spray Application:

Product is supplied at under 2.8 VOC. It is formulated to spray at the viscosity supplied for most spray applicators. The paint may seem very thin - this is normal for low VOC paint formulations. If reduction is necessary, USE ONLY ACETONE. Add one part Acetone to 6 parts paint. Continuously stir paint while gradually adding Acetone. Exact reduction varies with type of spray equipment and air pressure used. Apply in light mist coats until desired appearance is achieved. Allow paint to become tacky between coats. Recommended recoat window is before 30 minutes or after 36 hours of the last coat.

Start at the top of equipment and work down to eliminate dry spray which dulls the finish.

With Hardener:

(FOR PROFESSIONAL OR INDUSTRIAL USE ONLY)

Add Renew Hardener 6:1:1, Paint:Hardener:Acetone. Allow mixture to set for 10-15 minutes before using, mix again thoroughly before application. Do not mix more than what will be used within a 6 hour period. Do not use material that has started to body. High temperatures will reduce pot life.

Brush Application:

This paint should not be thinned for brush application. Apply to small areas and brush out to an even uniform coat.

Recoating:

When more than one coat is desired, recoat within 30 minutes or after 36 hours of the last coat. Heavy film, high humidity or low temperatures will lengthen the recommended time interval before recoat. In those conditions, recoat should be tested on small, hidden areas.

Spreading rate:

700 - 800 square foot per gallon (3.78 Liter), depending upon method of application and type of surface.

Drying time

Dries to touch in 2 - 4 hours under average temperature and humidity. Equipment may be handled in 12 - 24 hours. Do not wax equipment for 2 weeks. Dry time will vary due to atmospheric conditions. With Hardener, dries to touch within 30 - 60 minutes under average temperature and humidity. Equipment may be handled within 4 - 6 hours. Do not wax equipment for 2 weeks. Dry time will vary due to atmospheric conditions.

Clean Up:

Clean up tools and spatters immediately with Acetone.

Safety Precautions

Always paint in well-ventilated areas. Use an approved respirator when sanding or spraying. Never spray near open flame or other ignition sources. Safety glasses and gloves should be worn when handling any paint product. See Material Safety Data Sheet and Product Label for further safety precautions and handling information.

Hardener for Professional or Industrial Use Only.

The data on this sheet represents typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. VALSPAR assumes no obligation or liability for use of this information. UNLESS VALSPAR AGREES OTHERWISE IN WRITING, VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Your only remedy for any defect in this product is the replacement of the defective product or a refund of the purchase price at our option.



TECHNICAL DATA AGCO MACHINERY ENAMEL AEROSOLS

Product Type:	Fast Dry Acrylic Modified Alkyd
Gloss:	90+ on 60° / 80+ on 20°
Semi Gloss Black:	40 ± on 60
Surface:	Metal, Fiberglass
Primer:	AGCO Fast Dry Primer (may be applied directly to properly prepared surfaces)
Surface Temperature: Minimum / Maximum	45°F/ 90°F (7°C/ 32°C)
Dry Time: To Touch To Recoat	40-60 minutes Within 3 hours or after 24 hours
VOC:	Exact Match Finish Industrial contains less than 88% VOC by weight, MIR 2.05.

Safety Precautions:

Always paint in well-ventilated areas. Use an approved respirator when sanding or spraying. Never spray near open flame or other ignition sources. Safety glasses and gloves should be worn when handling any paint product. See Material Safety Data Sheet and Product Label for further safety precautions and handling information.

TECHNICAL ASSISTANCE: ValsparAMS@valspar.com

Features:

- Matches Original Finish
- Fan Spray for Professional Application
- Superior Gloss & Color Retention
- Durable
- Outstanding Adhesion, Flexibility and Chip Resistance

Description:

A fast drying acrylic enamel aerosol. Perfect for touch up of small areas or repaint of small parts.

Surface Preparation:

The surface must be clean, dry and free of all dirt, rust and other foreign matter. Remove all loose, peeling or cracked paint. Feather sand (using 400 sandpaper) rough edges, followed by solvent wipe. Allow 10-20 minutes for solvent flash off. Prime bare metal. Glossy surfaces must be lightly sanded to ensure proper adhesion.

Fiberglass:

Scrub with foaming cleaner, rinse well and allow to dry. Sand fiberglass thoroughly to completely remove gloss and provide adhesion. Wipe surface with solvent and allow to dry.

Galvanized:

AGCO specifies galvanized surfaces be supplied dry, which eliminates the usual requirement to remove all oils from the surface. Remove all loose, peeling or cracked surface. Lightly sand (using 400 sandpaper) all new and aged galvanized surfaces to ensure good adhesion. Feather sand (using 400 sandpaper) rough edges, followed by solvent wipe. Allow 10-20 minutes for solvent flash off.

Priming:

To ensure best results, bare ferrous metal should be primed with AGCO Fast Dry Primers. AGCO Primers may be topcoated within 1 ½ hours and should be topcoated within 5 days. AGCO Primer Aerosol may be topcoated within ½ hour. If primer stands longer than 5 days, surface must be properly prepared again.

Application:

Shake can until agitator ball moves freely for three minutes. Rotate can while shaking. Shake the can occasionally during use. For best results, use when the can temperature is approximately 75°F(24°C). Hold the can 8 - 10 inches from the surface to be painted. Apply with steady, even strokes. Apply several light coats, allowing the paint to become tacky between coats. If clogging occurs, remove spray button with twisting motion and clean. Do not stick pin or other object into can. Replace by gently twisting on.

Recoating:

If additional coats are required, recoat within 3 hours or after 24 hours. Heavy film, high humidity or low temperature will lengthen recommended time interval before recoat. In those conditions, recoat should be tested on small, hidden areas.

Drying Time:

Dries to touch in 40-60 minutes under average temperature and humidity. Equipment may be handled in 12-24 hours. Do not wax equipment for 2 weeks. Dry time will vary due to atmospheric conditions.

The data on this sheet represents typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. VALSPAR assumes no obligation or liability for use of this information. UNLESS VALSPAR AGREES OTHERWISE IN WRITING, VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Your only remedy for any defect in this product is the replacement of the defective product or a refund of the purchase price at our option.



TECHNICAL DATA AGCO MACHINERY ENAMEL PRIMER

Product Type:	Fast Dry Gray & Red Oxide	
Gloss:	25 on 60°	
Solids:	By Weight 56.6% By Volume 38.1%	
Weight per Gallon:	10.17 lbs. (4.61 kg)	
Surface:	Metal, Fiberglass	
Conventional Spray:	(Brinks or equal)	
Hank Gun	18, 19, 29 or 62	
Fluid Tip	66	
Orifice	.070	
Air Cap	66	
Atomizing Pressure	40 – 60 PSI	
Fluid Pressure	20 – 30 PSI	
Airless:	(Graco or equal)	
Minimum Pump Ratio	30:1	
Tip	.015 – .018	
Pressure	1800 – 2000 PSI	
HVLP:	Fluid Tip	Air Cap
Accuspray Series 10	.036	#9
Brinks M1G	#94	93P
Devilbi ss JGHV-530	GX	#33
Devilbi ss GFHV-501	DFW	#57
Mattson LP-DC	.040 Gold	
Sata NR92/95 Gravity	1.7mm	
Sharpe SGF-HVLP	1.4mm (.055)	#12
Sharpe 975HVLP Pressure	0.8mm	#12S
Reduction:	Up to 8:1 (Paint: AGCO Thinner)	
Spreading Rate:	500 – 600 sq. ft. per gal.	
Film Thickness:	2.5 mils wet 1.0 mils dry	
Surface Temperature:	Minimum / Maximum 40°F/95°F(4°C/35°C)	
Clean Up:	Clean up tools and spatters immediately with AGCO Thinner 79015024, 1904947M1, 79037146 (Low V.O.C).	
VOC:	510.5 g/L	
For Use On:	Any surface where an automotive type primer is recommended.	

Features:

- Inhibits Rust
- Fast Dry
- Sandable
- Flexible

Description:

A fast drying, rust inhibiting, gray and red oxide primer for use over properly prepared ferrous surfaces. Forms a tight barrier against rust producing elements while hiding slight surface imperfections. Provides excellent adhesion when used as a primer coat on clean, well sanded fiberglass and aluminum surfaces.

Surface Preparation:

The surface must be clean, dry and free of all dirt, rust and other foreign matter. Remove all loose, peeling or cracked paint. Feather sand (using 400 sandpaper) rough edges, followed by solvent wipe. Allow 10-20 minutes for solvent flash off. Prime bare metal. Glossy surfaces must be lightly sanded to ensure proper adhesion.

Fiberglass:

Scrub with foaming cleaner, rinse well and allow to dry. Sand fiberglass thoroughly to completely remove gloss and provide adhesion. Wipe surface with solvent and allow to dry.

Galvanized:

AGCO specifies galvanized surfaces be supplied dry, which eliminates the usual requirement to remove all oils from the surface. Remove all loose, peeling or cracked surface. Lightly sand (using 400 sandpaper) all new and aged galvanized surfaces to ensure good adhesion. Feather sand (using 400 sandpaper) rough edges, followed by solvent wipe. Allow 10-20 minutes for solvent flash off. Prime any areas of bare metal.

Application:

Stir thoroughly, using circular, lifting motion. Apply when surface and air temperatures range between 40°F/95°F(4°C/35°C). Due to fast dry properties, spray application is recommended. Fast dry properties allow for top coating after 1 ½ hours dry time. Allow 2 – 2 ½ hours dry time when sanding is desired. Topcoat within 4 hours or after 48 hours. Primer allowed to dry for 5 days will require additional surface preparation to ensure proper adhesion of top coat.

Spreading Rate:

500 – 600 square feet per gallon (3.78 Liter). Depending on method of application and type of surface.

Safety Precautions:

Always paint in well-ventilated areas. Use an approved respirator when sanding or spraying. Never spray near open flame or other ignition sources. Safety glasses and gloves should be worn when handling any paint product. See Material Safety Data Sheet and Product Label for further safety precautions and handling information.

The data on this sheet represents typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. VALSPAR assumes no obligation or liability for use of this information. UNLESS VALSPAR AGREES OTHERWISE IN WRITING, VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Your only remedy for any defect in this product is the replacement of the defective product or a refund of the purchase price at our option.

Technical Assistance: ValsparAMS@valspar.com



TECHNICAL DATA

AG-CHEM URA-ZEN™ (Urethane) Paints

Product Description:

URA-ZEN is a trade name for Hentzen's two-component urethane coatings. This two-component urethane exhibits very high gloss and excellent weather-ability characteristics.

Handling and Storage:

The containers should be stored away from direct sunlight and heat. Freezing is not harmful if reheated gently to room temperature prior to use.

Physical Characteristics:

Ag-Chem Ura-Zen Paint – Component A:

Weight per Gallon: 11.31 lbs(5.13 kg) ± .25(.11 kg)
Weight Solids: 67.99% ± 1.0
Volume Solids: 50.72% ± 1.0
Viscosity: 12-20 sec. @ #3 Zahn

AG723129 Ura-Zen Catalyst-Component B:

Weight Per Gallon: 8.90 lbs (4.03 Kg) ± .25(.11kg)
Weight Solids: 73.76% ± 1.0
Volume Solids: 68/02% ± 1.0
Viscosity: 10-16 sec. #3 Zahn

Admixed Characteristics:

Catalyzation Ratio: 4:1 by volume
Weight Per Gallon: 10.83 lbs(4.91kg) ± .25(.11kg)
Weight Solids: 68.94% ± 1.0
Volume Solids: 54.17% ± 1.0
VOC: 3.50 max.
Viscosity: 12-20 sec. @ #3 Zahn

Theoretical Coverage –
sq. ft./gl.@ 1.0 mil

dry film thickness: 868.9

Useable Pot Life: 2-2 ½ hours

Cure Schedule – Air Dry @ 77° & 50% Relative

Humidity:

Dust Free: 15-30 minutes
Tack Free: 2-2 ½ hours
Print Free: 6-7 hours
Full Cure: 3 weeks

Gloss (60° Glossmeter): 90 min. @ 2.0 mils

Environmental Report:

Volatile Content (Wt.%):	31.07
Organic Volatile Content (Wt.%)	31.07
Water Content (Wt.%)	0.00
Water Content (Vol.%)	0.00
VOC Minus Water:	3.50 maximum

Directions for Use:

Component A should be thoroughly agitated prior to blending. After agitating Component A, mix 4 volumes of Component A to 1 volume of Component B and mix the two components well. The material is now ready to use. Apply this material with conventional air atomization spray equipment. No reduction is necessary. Mix only what you will use in 2 hours. After that time, the product will start to gel.

Precautions and Safety:

- Do not apply at temperatures below 50°F(10°C)
- Read all container labels.
- Read Material Safety Data Sheet.

Clean-up:

Clean equipment immediately after use with AG710232 Thinner or equivalent.



TECHNICAL DATA

AG-CHEM ENAMEL PAINT

Product Description:

This product is designed to be a one component maintenance enamel for brush, roller or spray application. It exhibits good adhesion and durability over a variety of substances.

Handling and Storage:

The containers should be stored away from direct sunlight and heat. Freezing is not harmful if reheated gently to room temperature prior to use.

Physical Characteristics:

Weight Per Gallon:	9.95(4.51kg) ± .3(.13kg) lbs.
Weight Solids:	56.68 ± 1.0%
Volume Solids:	38.20 ± 1.0%
VOC:	4.31 as received
Viscosity:	50-60 sec @ #2 Zahn
Reduction Ratio:	5:1 by volume
Reduced for Spray:	10-12" @ #3 Zahn

Cure Schedule – Air Dry @ 77°F
& 50% Relative Humidity:

Dust Free:	1 hour
Dry to Touch:	2-3 hours
Dry to Handle:	Overnight
Dry Hard:	2-3 weeks

Environmental Report:

Volatile Content (Wt.%):	43.32%
Organic Volatile Content (Wt.%):	43.32%
Water Content (Wt.%):	0.00
Water Content (Vol.%):	0.00
VOC Minus Water:	4.31

Directions for Use:

Thoroughly agitate the paint before using. Coating should be used as received for brush or roller application, a reduction of 5:1 is recommended with Aromatic Solvent.


Precaution and Safety:

- Do not apply at temperatures below 50°F (10°C).
- Read all container labels.
- Read Material Safety Data Sheet.

Clean-up:


Clean equipment immediately after use with Aromatic or Ketone solvents.

AGCO

Equipment	Sheet Metal	Wheels	Chassis
			
AGCO Allis (Italy): 4650, 4660, 5650, 5660, 5670 eff s/n 1500, 5670 prior s/n 1500, 5680 eff. s/n 1500, 5680 prior s/n 1500, 6670, 6680, 6690, 7600, 7630, 7650, 8610, 8630	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Corporate Silver 79014803 Aerosol 79014802 Qt. 79014801 Gal. Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
AGCO Allis (England): 8745, 8765, 9775, 8785	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
AGCO Allis (Beauvais): 8775, 8785, 8785, 9735, 9745, 9755, 9765, 9775, 9785	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
AGCO Allis (Coldwater): 9755, 9765, 9775, 9785	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
AGCO Allis (Independence): 9630, 9650, 9670, 9690, 9635, 9435, 9655, 9455, 9675, 9695, 9815	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
ST, STA Series	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Mirror Black 1077728M1 Aerosol 1077536M1 Qt.

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

AGCO

Equipment	Sheet Metal	Wheels	Chassis
 AGCO TRACTORS 1990 to 2011 (Cont'd)			
LT, LTA Series	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.) New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
RT, RTA Series	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.) New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
DT, DTA, DTB (LRT) Series	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.) New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
GT, GTA Series	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

AGCO

Equipment	Sheet Metal	Wheels	Chassis
 Deutz-Allis 1985 thru 1991			
5215H & S	Spring Green 79014665 Aerosol 79014784 Qt. 79014783 Gal.	Pearl Gray 79014663 Aerosol 79014800 Qt.	Gun Metal Blue 79014659 Aerosol 79014788 Qt.
5220H & S	Spring Green 79014665 Aerosol 79014784 Qt. 79014783 Gal.	Pearl Gray 79014663 Aerosol 79014800 Qt.	Gun Metal Blue 79014659 Aerosol 79014788 Qt.
5230	Spring Green 79014665 Aerosol 79014784 Qt. 79014783 Gal.	Pearl Gray 79014663 Aerosol 79014800 Qt.	Gun Metal Blue 79014659 Aerosol 79014788 Qt.
6035	Spring Green 79014665 Aerosol 79014784 Qt. 79014783 Gal.	Pearl Gray 79014663 Aerosol 79014800 Qt.	Gun Metal Blue 79014659 Aerosol 79014788 Qt.
6150	Spring Green 79014665 Aerosol 79014784 Qt. 79014783 Gal.	Pearl Gray 79014663 Aerosol 79014800 Qt.	Gun Metal Blue 79014659 Aerosol 79014788 Qt.
6240, 6250, 6260	Spring Green 79014665 Aerosol 79014784 Qt. 79014783 Gal.	Pearl Gray 79014663 Aerosol 79014800 Qt.	Gun Metal Blue 79014659 Aerosol 79014788 Qt.
6265, 6275	Spring Green 79014665 Aerosol 79014784 Qt. 79014783 Gal.	Pearl Gray 79014663 Aerosol 79014800 Qt.	Gun Metal Blue 79014659 Aerosol 79014788 Qt.
7085, 7110, 7120, 7145	Spring Green 79014665 Aerosol 79014784 Qt. 79014783 Gal.	Pearl Gray 79014663 Aerosol 79014800 Qt.	Gun Metal Blue 79014659 Aerosol 79014788 Qt.
9150, 9170, 9190	Spring Green 79014665 Aerosol 79014784 Qt. 79014783 Gal.	Pearl Gray 79014800 Qt. 79014663 Aerosol	Gun Metal Blue 79014659 Aerosol 79014788 Qt.
9130, 9150, 9170, 9190	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Pearl Gray 79014800 Qt. 79014663 Aerosol	Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

AGCOSTar

Equipment	Sheet Metal	Wheels	Chassis
AGCOSTAR			
AGCOSTAR 8360	Corporate Silver 79014803 Aerosol 79014802 Qt. 79014801 Gal.	Corporate Silver (Dual Wheels) 79014803 Aerosol 79014802 Qt. 79014801 Gal.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
AGCOSTAR 8425	Corporate Silver 79014803 Aerosol 79014802 Qt. 79014801 Gal.	Corporate Silver (Dual Wheels) 79014803 Aerosol 79014802 Qt. 79014801 Gal.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Allis-Chalmers

Equipment	Sheet Metal	Wheels	Chassis
			
A-C Prior to 1930	Dark Green	Dark Green or Red	Dark Green
A-C 1929 thru 1960	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt. Aluminum 79014652 Aerosol 79014795 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.
A-C 1961 thru 1977	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Cream 79014657 Aerosol 79014795 Qt. Aluminum 79014652 Aerosol 79014795 Qt.	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.) Maroon 79014660 Aerosol
A-C 1978 thru 1985	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Cloud White 79014655 Aerosol Aluminum 79014652 Aerosol 79014795 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
D-A 1985 thru 1991	Spring Green 79014665 Aerosol 79014784 Qt. 79014783 Gal.	Pearl Gray 79014663 Aerosol 79014800 Qt.	Gun Metal Blue 79014659 Aerosol 79014788 Qt.
AGCO 1990 to 2011	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
D-A Compacts 1985-1991	Spring Green 79014665 Aerosol 79014784 Qt. 79014783 Gal.	Pearl Gray 79014663 Aerosol 79014800 Qt.	Gun Metal Blue 79014659 Aerosol 79014788 Qt.


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Allis-Chalmers

Equipment	Sheet Metal	Wheels	Chassis
 1977 thru 1985			
175	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Cream 79014657 Aerosol 79014795 Qt.	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.
185	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Cream 79014657 Aerosol 79014795 Qt.	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.
5010, 5020, 5030	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Aluminum 79014652 Aerosol 79014795 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
5040	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Aluminum 79014652 Aerosol 79014795 Qt.	Maroon 79014660 Aerosol
5045	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Aluminum 79014652 Aerosol 79014795 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
5050	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Aluminum 79014652 Aerosol 79014795 Qt.	Maroon 79014660 Aerosol Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Allis-Chalmers

Equipment	Sheet Metal	Wheels	Chassis
 1977 thru 1985 (Cont'd)			
6140	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Aluminum 79014652 Aerosol 79014795 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
6060, 6070, 6080	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Aluminum 79014652 Aerosol 79014795 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
7000	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Aluminum 79014652 Aerosol 79014795 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
7010, 7020	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Aluminum 79014652 Aerosol 79014795 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
7045, 7060, 7080	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Aluminum 79014652 Aerosol 79014795 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
7580, 8550	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Aluminum 79014652 Aerosol 79014795 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
8010, 8030, 8050, 8070	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Aluminum 79014652 Aerosol 79014795 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
4W-220. 4W-305	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Aluminum 79014652 Aerosol 79014795 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)



V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Allis-Chalmers

Equipment	Sheet Metal	Wheels	Chassis
 1960 thru 1977			
D-10, D-12	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
D-15, D-17, D-19	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
D-21	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
160	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
170, 175	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Cream 79014657 Aerosol 79014795 Qt.	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
180, 185	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Cream 79014657 Aerosol 79014795 Qt.	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
190, 190XT	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Cream 79014657 Aerosol 79014795 Qt.	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
200, 210, 220	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Cream 79014657 Aerosol 79014795 Qt.	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
440	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Cream 79014657 Aerosol 79014795 Qt.	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
6040	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Cream 79014657 Aerosol 79014795 Qt.	Maroon 79014660 Aerosol
5040	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Cream 79014657 Aerosol 79014795 Qt.	Maroon 79014660 Aerosol
7000	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Aluminum 79014652 Aerosol 79014795 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)



V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Allis-Chalmers

Equipment	Sheet Metal	Wheels	Chassis
 1960 thru 1977 (Cont'd)			
7050	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
7060	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
7080	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
7580	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Cream 79014657 Aerosol 79014795 Qt.	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
 1930 thru 1960			
E25-40	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.
United, U, All-Crop, UC	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.
A	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt. Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.	Persian Orange #1 79032876 Aerosol 79021641 Qt.
B	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt. Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.	Persian Orange #1 79032876 Aerosol 79021641 Qt.
C	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Allis-Chalmers

Equipment	Sheet Metal	Wheels	Chassis
 1930 thru 1960 (Cont'd)			
8600	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
G	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.
RC	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.
WC	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.
WF	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt. Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.	Persian Orange #1 79032876 Aerosol 79021641 Qt.
WD	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
WD-45	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
Crawlers - M, K, L, S	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
D-10, D-12	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
D-14, D-17	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Cream 79014657 Aerosol 79014795 Qt.	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
 Prior to 1930			
10-18, 12-20, 15-25	Dark Green	Dark Green or Red	Dark Green
18-30, 20-35, EK	Dark Green	Dark Green or Red	Dark Green

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Allis-Chalmers

Equipment	Sheet Metal	Wheels	Chassis
			
A-C Prior to 1961	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.
A-C 1961 thru 1977	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Cream 79014657 Aerosol 79014795 Qt.	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)
A-C 1978 thru 1985	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Cloud White 79014655 Aerosol	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.
D-A 1986 thru 1991	Spring Green 79014665 Aerosol 79014784 Qt. 79014783 Gal.	Pearl Gray 79014663 Aerosol 79014800 Qt.	Spring Green 79014665 Aerosol 79014784 Qt. 79014783 Gal.
Hay Tools			
A-C Prior to 1961	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.	Persian Orange #1 79032876 Aerosol 79021641 Qt.
A-C 1961 thru 1977	Persian Orange 79014664 Aerosol 79014785 Qt. 79037148 Qt. (Low V.O.C.)	Cream 79014657 Aerosol 79014795 Qt.	
A-C 1978 thru 1985	Corporate Orange 79014656 Aerosol 79014782 Qt. 79023273 Qt. (Low V.O.C.) 79014781 Gal.	Cloud White 79014655 Aerosol	

Black Machine

Equipment	Sheet Metal	Wheels	Chassis
Black Machine			
Planters		Bossline White 79014833 Aerosol 79014807 Qt.	Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Challenger

Equipment	Sheet Metal	Wheels	Chassis
<i>Challenger</i>			
MT200 Series MT200B	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Mirror Black 1077728M1 Aerosol 1077536M1 Qt.
MT300 Series MT330B	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.) New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
MT400 Series MT400B, MT400BR	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.) New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
MT500 Series MT500B, MT500BR	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.) New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
MT600 Series MT600B	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
MT600C (LRT) Series	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.) New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
MT700 Series	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.	Challenger Gray 79032970 Aerosol Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Challenger

Equipment	Sheet Metal	Wheels	Chassis
<i>Challenger</i> (Cont'd)			
MT700C Series	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Challenger Silver Mist 79028660 Aerosol 79028661 Qt.	New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.) Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
MT800 Series	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.	Challenger Gray 79032970 Aerosol Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
MT800B Series	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.	Challenger Gray 79032970 Aerosol Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
MT800C Series	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Challenger Silver Mist 79028660 Aerosol 79028661 Qt.	New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt (Low V.O.C.) Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
MT900B Series	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Challenger Silver Mist 79028660 Aerosol 79028661 Qt.	Challenger Gray 79032970 Aerosol Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
MT900C Series	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Challenger Silver Mist 79028660 Aerosol 79028661 Qt.	New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.) Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Challenger

Equipment	Sheet Metal	Wheels	Chassis
<i>Challenger</i> (Cont'd)			
Combines			
Prior to 2007	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
Effective 2007 - Late 2008	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Semi-Gloss 79014798 Qt. 79037150 Qt. (Low V.O.C.) Chassis Gray 79025173 Aerosol 79025172 Qt. 79025182 Qt. (Low V.O.C.)
Effective 2009 Production	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Semi-Gloss 79014798 Qt. 79037150 Qt. (Low V.O.C.) New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
Challenger Combines Effective 2009 Production	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Semi-Gloss 79014798 Qt. 79037150 Qt. (Low V.O.C.) New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
520C, 540E, 560E Series 2009 - 2013	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
520C, 540E, 560E Series 2013 - 2015	Challenger Yellow (2013-Present) 79036676 Aerosol 79036683 Qt.	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Challenger

Equipment	Sheet Metal	Wheels	Chassis
<i>Challenger</i> (Cont'd)			
Combine Headers & Cornheads			
Challenger Headers & Cornheads Effective 2007 - Late 2008			Black Semi-Gloss 79014798 Qt. 79037150 Qt. (Low V.O.C.) Chassis Gray 79025173 Aerosol 79025172 Qt. 79025182 Qt. (Low V.O.C.)
Effective Headers & Cornheads 2009 - 2013 Series 3000, 7200, 8200, 9250	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)		MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
Effective Headers & Cornheads 2013 - 2015 Series 3000, 7200, 8200, 9250	Challenger Yellow (2013-Present) 79036676 Aerosol 79036683 Qt.		MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
Challenger Headers & Cornheads Effective 2009 Production			Black Semi-Gloss 79014798 Qt. 79037150 Qt. (Low V.O.C.) New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
Swathers Effective 2009 Hesston Production	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Challenger

Equipment	Sheet Metal	Wheels	Chassis
<i>Challenger</i> (Cont'd)			
SP Headers			
Effective 2009 - 2013 5300, 9126, 9146, 9183, 9186, 9195, 9196	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)		MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
Effective 2013 - 2015 5300, 9126, 9146, 9183, 9186, 9195, 9196	Challenger Yellow (2013-Present) 79036676 Aerosol 79036683 Qt.		MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
Swathers			
SP80, SP110, SP115, SP85, SP165, SP180 Prior 2007 Hesston Production	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
SP85B, SP115B, SP185B 2007 to Late 2008 Hesston Production	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Chassis Gray 79025173 Aerosol 79025172 Qt. 79025182 Qt. (Low V.O.C.)
SP Windrowers			
Effective 2009 - 2013 WR9740, WR9800	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
Effective 2013 - 2015 WR9740, WR9800	Challenger Yellow (2013-Present) 79036676 Aerosol 79036683 Qt.	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
Hay Tools			
All Machines Prior 2007	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Gloss 79014653 Aerosol. 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
All Machines Effective 2007 - Late 2008	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Chassis Gray 79025173 Aerosol 79025172 Qt. 79025182 Qt. (Low V.O.C.)
All Machines Effective 2009 Production	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
All Machines Effective 2009 Production	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Challenger

Equipment	Sheet Metal	Wheels	Chassis
<i>Challenger</i> (Cont'd)			
Loaders			
Equipment	Arms	Bucket	Brackets
ALO Loader	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)	
SOO Challenger Loader Prior to 2005	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.	
SOO Challenger Loader 2005 to Late 2008	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)	
SOO Challenger Loader 2009/2010 Production	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)	New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
Mowers			
1359, 1363, 1366, 1383, 1386 Series 2009 -2013 Production	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
1359, 1363, 1366, 1383, 1386 Series 2003 -2015 Production	Challenger Yellow (2013-Present) 79036676 Aerosol 79036683 Qt.	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Challenger

Equipment	Sheet Metal	Wheels	Chassis
<i>Challenger</i> (Cont'd)			
Square Balers			
Effective 2009 - 2013 Series 1836, 1838, 1840, 1841 1844S, 1844N, 2240-870, 2250-990, 2260-1270, 2270-1290, 2270XD-1290XD, 2290-12130-BB9090	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
Effective 2013 - 2015 Series 1836, 1838, 1840, 1841 1844S, 1844N, 2240-870, 2250-990, 2260-1270, 2270-1290, 2270XD-1290XD, 2290-12130-BB9090	Challenger Yellow (2013-Present) 79036676 Aerosol 79036683 Qt. ACP0146530 Qt. (Low V.O.C.) ACP0146540 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.

**NEW Paint color changes in 2013 effect part numbers for Challenger Yellow and MF-50 Chassis Gray.
When ordering, pay specific attention to the model year the equipment was manufactured.**

For models 2013 to present use the following part #s:

Challenger Yellow:

79036676 - Aerosol

79036683 - Quart

ACP0146530 - Qt Low VOC

ACP0146540 - Gal Low VOC

MF-50 Chassis Gray:

ACP0135180 - Aerosol

ACP0135190 - Quart

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Cockshutt

Equipment	Sheet Metal	Wheels	Chassis
COCKSHUTT			
Cockshutt Combines	Combine Red 20-7002255 Aerosol 20-7002850 Qt.	Bossline White 79014833 Aerosol 79014807 Qt.	Bossline White (Cab Roof) 79014833 Aerosol 79014807 Qt.

Farmhand

Equipment	Sheet Metal	Wheels	Chassis
FARMHAND® Loaders			
Model 2/Model 22			Black Semi-Gloss (Attachments) 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
GL520, SL945, XL945, XL1340, XL1140, XL940, XL740	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)		
Grind Mixers			
GM870, GM875	Red WFE III 79015804 Aerosol 79015803 Qt. 79015802 Gal.		
Rotary Cutters / Shredders			
Tub Grinders	Red WFE III 79015804 Aerosol 79015803 Qt. 79015802 Gal.		Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
Paratills / Drills Prior 2007		Bossline White 79014833 Aerosol 79014807 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Fendt

Equipment	Sheet Metal	Wheels	Chassis
FENDT			
Tractors	Fendt Green 79017750 Aerosol 79017749 Qt. 79037154 Qt. (Low V.O.C.)	Fendt Red 79017752 Aerosol 79028814 Qt. (Low V.O.C.)	Fendt Gray 79017754 Aerosol 79017753 Qt. 79037155 Qt. (Low V.O.C.)
Loaders	Fendt Green 79017750 Aerosol 79017749 Qt. 79037154 Qt. (Low V.O.C.)		
Combines	Fendt Green 79017750 Aerosol 79017749 Qt. 79037154 Qt. (Low V.O.C.)	Fendt Red 79017752 Aerosol 79028814 Qt. (Low V.O.C.)	
Combines Effective Hesston 2009 Production	Fendt Green 79017750 Aerosol 79017749 Qt. 79037154 Qt. (Low V.O.C.)	Fendt Red 79017752 Aerosol 79028814 Qt. (Low V.O.C.)	New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
Combines Effective Hesston 2009 - 2015 Production	Fendt Green (2013-Present) 79036674 Aerosol 79036681 Qt.	Fendt Red 79017752 Aerosol 79028814 Qt. (Low V.O.C.)	MF-50 Chassis Gray ACP0135180 Aerosol ACP0135190 Qt.
Square Baler 2009 - 2015 Production	Fendt Green (2013-Present) 79036674 Aerosol 79036681 Qt.	Fendt Red 79017752 Aerosol 79028814 Qt. (Low V.O.C.)	MF-50 Chassis Gray ACP0135180 Aerosol ACP0135190 Qt.

For models 2013 to present use the following part #s:

Fendt Green:

79036674 - Aerosol

79036681 - Quart

MF-50 Chassis Gray:

ACP0135180 - Aerosol

ACP0135190 - Quart

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Gleaner

Equipment	Sheet Metal	Wheels	Chassis
GLEANER			
Effective Combines 1998 through 2006	Corporate Silver 79014803 Aerosol 79014802 Qt. 79014801 Gal.	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
Effective Combines 2007 - (Late 2008)	Corporate Silver 79014803 Aerosol 79014802 Qt. 79014801 Gal.	Bossline White 79014833 Aerosol 79014807 Qt.	Chassis Gray 79025173 Aerosol 79025172 Qt. 79025182 Qt. (Low V.O.C.) Black Semi-Gloss 79014798 Qt. 79037150 Qt. (Low V.O.C.)
Effective Headers & Cornheads 2007 - (Late 2008)			Chassis Gray 79025173 Aerosol 79025172 Qt. 79025182 Qt. (Low V.O.C.) Black Semi-Gloss 79014798 Qt. 79037150 Qt. (Low V.O.C.)
Effective 2009 Production Combines	Corporate Silver 79014803 Aerosol 79014802 Qt. 79014801 Gal.	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Semi-Gloss 79014798 Qt. 79037150 Qt. (Low V.O.C.) New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt (Low V.O.C.)
Effective 2009 - 2013 Production Combines S68, S78, S88	Corporate Silver 79014803 Aerosol 79014802 Qt. 79014801 Gal.	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray ACP0135180 Aerosol ACP0135190 Qt.
Effective 2013 - 2015 Production Combines S68, S78, S88	Gleaner Gray P13GLNGRYA Aerosol 79036684 Qt. P13GLNGRYG Gal.	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray ACP0135180 Aerosol ACP0135190 Qt.
Effective Headers & Cornheads 2009 Production			New Chassis Gray 79033127 Qt 79033127 Qt. (Low V.O.C.) Black Semi-Gloss 79014798 Qt. 79037150 Qt. (Low V.O.C.) 79033128 Qt (Low V.O.C.)
Effective Headers & Cornheads 2009 - 2013 Series 3000, 7200, 8200, 9250	Corporate Silver 79014803 Aerosol 79014802 Qt. 79014801 Gal.		MF-50 Chassis Gray ACP0135180 Aerosol ACP0135190 Qt.
Effective Headers & Cornheads 2013 - 2015 Series 3000, 7200, 8200, 9250	Gleaner Gray P13GLNGRYA Aerosol 79036684 Qt. P13GLNGRYG Gal.		MF-50 Chassis Gray ACP0135180 Aerosol ACP0135190 Qt.

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Glencoe


Equipment	Sheet Metal	Wheels	Chassis
Glencoe®			
All Implements	Glencoe Green EP6495 Aerosol	Bossline White 79014833 Aerosol 79014807 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)

Hesston

Equipment	Sheet Metal	Wheels	Chassis
HESSTON by MASSEY FERGUSON			
All Machines 1980 & prior	Hesston Red 79015807 Aerosol	Charolais White 79014846 Aerosol	


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Massey Ferguson

Equipment	Sheet Metal	Wheels	Chassis
 MASSEY FERGUSON			
135, 150, 165, 175, 180	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Flint Metallic Gray M1025 841683M1 Aerosol 830719M2 Qt. 79037156 Qt. (Low V.O.C.) 830720M2 Gal.
154-4, 174-4S, 184-4, 194-4F	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Light Gray M1011 841680M1 Aerosol Charcoal Gray M1056 841739M1 Aerosol 841740M1 Qt.
205, 210, 220	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	UniGray M1053 841717M1 Aerosol
254-4, 274-4, 284-4, 294-4	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Charcoal Gray M1056 841739M1 Aerosol 841740M1 Qt.
354, 364, 384, 394	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)
240, 250, 253, 270, 283, 290, 298, 360, 362, 383, 390T, 393, 396, 398, 399	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)
431, 451, 461, 471, 481, 491,492	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
533, 543, 563, 573, 583, 593, 596	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Massey Ferguson

Equipment	Sheet Metal	Wheels	Chassis
 MASSEY FERGUSON (Cont'd)			
500 Series Effective 2009 Production	Refer to New Massey Ferguson Paint Manufacturing Information Section 2009/2010 on page 47		
670, 690, 698, 699	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Charcoal Gray M1056 841739M1 Aerosol 841740M1 Qt.
1010, 1020, 1030, 1035, 1040, 1045	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	UniGray M1053 841717M1 Aerosol Charcoal Gray M1056 841739M1 Aerosol 841740M1 Qt.
1120, 1125, 1140, 1145, 1160, 1165, 1180, 1190	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Metallic Gray 1077726M1 Aerosol 1077727M1 Qt.	Mirror Black 1077728M1 Aerosol 1077536M1 Qt.
282	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Charcoal Gray M1056 841739M1 Aerosol 841740M1 Qt.
230, 235, 245, 255, 265, 275, 285	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Flint Metallic Gray M1025 841683M1 Aerosol 830719M2 Qt. 79037156 Qt. (Low V.O.C.) 830720M2 Gal.
231, 261	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Charcoal Gray M1056 841739M1 Aerosol 841740M1 Qt.
231S, 241, 271, 281	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Massey Ferguson

Equipment	Sheet Metal	Wheels	Chassis
 MASSEY FERGUSON (Cont'd)			
240S, 271, 281	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Charcoal Gray M1056 841739M1 Aerosol 841740M1 Qt.
1205, 1215, 1225	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.) Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Mirror Black 1077728M1 Aerosol 1077536M1 Qt.
1210, 1220, 1230, 1233, 1235, 1240, 1250, 1260	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.) Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Charcoal Gray M1056 841739M1 Aerosol 841740M1 Qt. Mirror Black 1077728M1 Aerosol 1077536M1 Qt.
1080, 1085	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Flint Metallic Gray M1025 841683M1 Aerosol 830719M2 Qt. 79037156 Qt. (Low V.O.C.) 830720M2 Gal.
1100, 1130, 1150	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Flint Metallic Gray M1025 841683M1 Aerosol 830719M2 Qt. 79037156 Qt. (Low V.O.C.) 830720M2 Gal.
1105, 1135, 1155	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Flint Metallic Gray M1025 841683M1 Aerosol 830719M2 Qt. 79037156 Qt. (Low V.O.C.) 830720M2 Gal.
1400, 1500 Series Prior 2009	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Mirror Black 1077728M1 Aerosol 1077536M1 Qt.

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Massey Ferguson

Equipment	Sheet Metal	Wheels	Chassis
 MASSEY FERGUSON (Cont'd)			
1500, 1600 Series Effective 2009	Refer to New Massey Ferguson Paint Manufacturing Information Section 2009/2010 on page 47		
2210, 2220	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
FC23, FC23FH, FC33	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Mirror Black 1077728M1 Aerosol 1077536M1 Qt.
ZT29 & ZT33 Mower Prior 2009	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Mirror Black 1077728M1 Aerosol 1077536M1 Qt. Note: <i>This color also applies to rollover protection equipment</i>
ZT29 & ZT33 Mower Effective 2009 Production	Refer to New Massey Ferguson Paint Manufacturing Information Section 2009/2010 on page 47		
GC2300, GC2310	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Mirror Black 1077728M1 Aerosol 1077536M1 Qt.
GC2400, GC2410, GC2600, GC2610	Refer to New Massey Ferguson Paint Manufacturing Information Section 2009/2010 on page 47		
2640	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	French Silver Mist 841818M1 Aerosol	Charcoal Gray M1056 841739M1 Aerosol 841740M1 Qt.
2675, 2705, 2745, 2775, 2805, 3505, 3525, 3545	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Flint Metallic Gray M1025 841683M1 Aerosol 830719M2 Qt. 79037156 Qt. (Low V.O.C.) 830720M2 Gal.
2605, 2615, 2625, 2600 Series Prior 2009 Production	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Massey Ferguson

Equipment	Sheet Metal	Wheels	Chassis
 MASSEY FERGUSON (Cont'd)			
2600 Series Effective 2009 Production	Refer to New Massey Ferguson Paint Manufacturing Information Section 2009/2010 on page 47		
3050, 3060, 3070, 3090, 3120, 3140, 3630, 3650, 3660, 3680, 3690	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	French Silver Mist 841818M1 Aerosol	Charcoal Gray M1056 841739M1 Aerosol 841740M1 Qt.
3210, 3225, 3235, 3245, 3255	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
"3600 Series Effective 2009 Production"	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
3415, 3425, 3430, 3435, 3445, 3450, 3455, 3400 Series Specialty	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
4800, 4840, 4900	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)
4200 Series	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Smoke Gray M1073 1907035M1 Aerosol 1907034M1 Qt. Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
3615, 3625, 3635, 3645 Prior 2009 Production	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Massey Ferguson

Equipment	Sheet Metal	Wheels	Chassis
 MASSEY FERGUSON (Cont'd)			
3600 Series Effective 2009 Production	Refer to New Massey Ferguson Paint Manufacturing Information Section 2009/2010 on page 47		
4300 Series	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Smoke Gray M1073 (-99') 1907035M1 Aerosol 1907034M1 Qt. Corporate Wheel Gray (+99') 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
4400 Series	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
5300 Series	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Smoke Gray M1073 1907035M1 Aerosol 1907034M1 Qt. Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
5400, 6400, 7400, 8400 Series Prior 200 Production	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
5400, 6400, 7400, 8400 Series Effective 2009 Production	MF-50 Red 79033123 Aerosol 79033124 Qt. 79033125 Gal. 79033126 Qt. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
8600 (LRT) Series	MF-50 Red 79033123 Aerosol 79033124 Qt. 79033125 Gal. 79033126 Qt. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
6100-8100 Series	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	French Silver Mist (-97) 841818M1 Aerosol Corporate Wheel Gray (+97) 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Charcoal Gray M1056 841739M1 Aerosol 841740M1 Qt.
6200-8200 Series	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Massey Ferguson

Equipment	Sheet Metal	Wheels	Chassis
 MASSEY FERGUSON (Cont'd)			
Lawn & Garden			
7, 8, 10, 12, 14, 16	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Flint Metallic Gray M1025 841683M1 Aerosol 830719M2 Qt. 79037156 Qt. (Low V.O.C.) 830720M2 Gal.
5, 6, 626, 632	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	
1200, 1450, 1650, 1655, 1855	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	
80RT, 112LT, 114LT, 116GTX, 212GTX, 218GTX, 316GTX, 318GTX, 320GTX	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Charcoal Gray M1056 841739M1 Aerosol 841740M1 Qt.
Mowers			
1359, 1363, 1366, 1383, 1386 Series 2009 -2013 Production	MF-50 Red 79033123 Aerosol 79033124 Qt. 79033125 Gal. 79033126 Qt. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
1359, 1363, 1366, 1383, 1386 Series 2003 -2015 Production	MF-50 Red (2013-Present) 79036675 Aerosol 79036682 Qt.	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Massey Ferguson

Equipment	Sheet Metal	Wheels	Chassis
 MASSEY FERGUSON (Cont'd)			
Combines			
205, 300, 405, 510, 510	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Industrial Yellow 841682M2 Aerosol 768976M3 Gal.	
540, 550, 850, 851, 852, 860	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
750, 751, 780	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
5650	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
8450, 8460	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	French Silver Mist 841818M1 Aerosol	
8560, 8570, 9720	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	
8680, 8780, 8780XP	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Massey Ferguson

Equipment	Sheet Metal	Wheels	Chassis
 MASSEY FERGUSON (Cont'd)			
Combines (Cont'd)			
Massey Ferguson Combines Prior to 2007	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
Massey Ferguson Combines Effective 2007 - Late 2008	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.) Chassis Gray 79025173 Aerosol 79025172 Qt. 79025182 Qt. (Low V.O.C.)
Massey Ferguson Headers & Cornheads Effective 2007 - Late 2008			Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.) Chassis Gray 79025173 Aerosol 79025172 Qt. 79025182 Qt. (Low V.O.C.)
Massey Ferguson Combines Effective 2009 Production	MF-50 Red 79033123 Aerosol 79033124 Qt. 79033125 Gal. 79033126 Qt. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.) New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)
T-7 2009 - 2015 Production	MF-50 Red (2013-Present) 79036675 Aerosol 79036682 Qt. ACP0146510 Qt. (Low V.O.C.) ACP0146520 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
9520, 9545, 9565 Series 2009 - 2015 Production	MF-50 Red (2013-Present) 79036675 Aerosol 79036682 Qt. ACP0146510 Qt. (Low V.O.C.) ACP0146520 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Massey Ferguson

Equipment	Sheet Metal	Wheels	Chassis
 MASSEY FERGUSON (Cont'd)			
Combines Headers			
Effective Headers & Cornheads 2009 - 2013 Series 3000, 7200, 8200, 9250	MF-50 Red 79033123 Aerosol 79033124 Qt. 79033125 Gal. 79033126 Qt. (Low V.O.C.)		MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
Effective Headers & Cornheads 2013 - 2015 Series 3000, 7200, 8200, 9250	MF-50 Red (2013-Present) 79036675 Aerosol 79036682 Qt. ACP0146510 Qt. (Low V.O.C.) ACP0146520 Gal. (Low V.O.C.)		MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
SP Headers			
Effective 2009 - 2013 5300, 9126, 9146, 9183, 9186, 9195, 9196	MF-50 Red 79033123 Aerosol 79033124 Qt. 79033125 Gal. 79033126 Qt. (Low V.O.C.)		MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
Effective 2013 - 2015 5300, 9126, 9146, 9183, 9186, 9195, 9196	MF-50 Red (2013-Present) 79036675 Aerosol 79036682 Qt. ACP0146510 Qt. (Low V.O.C.) ACP0146520 Gal. (Low V.O.C.)		MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
SP Windrowers			
Effective 2009 - 2013 WR9740, WR9800	MF-50 Red 79033123 Aerosol 79033124 Qt. 79033125 Gal. 79033126 Qt. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
Effective 2013 - 2015 WR9740, WR9800	MF-50 Red (2013-Present) 79036675 Aerosol 79036682 Qt. ACP0146510 Qt. (Low V.O.C.) ACP0146520 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
Round Balers			
Effective 2009 - 2013 Series 1734, 1745, 2946, 2946A, 2956, 2956A	MF-50 Red 79033123 Aerosol 79033124 Qt. 79033125 Gal. 79033126 Qt. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
Effective 2013 - 2015 Series 1734, 1745, 2946, 2946A, 2956, 2956A	MF-50 Red (2013-Present) 79036675 Aerosol 79036682 Qt. ACP0146510 Qt. (Low V.O.C.) ACP0146520 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Massey Ferguson

Equipment	Sheet Metal	Wheels	Chassis
 MASSEY FERGUSON (Cont'd)			
Square Balers			
Effective 2009 - 2013 Series 1836, 1838, 1840, 1841 1844S, 1844N, 2240-870, 2250-990, 2260-1270, 2270-1290, 2270XD-1290XD, 2290-12130-BB9090	MF-50 Red 79033123 Aerosol 79033124 Qt. 79033125 Gal. 79033126 Qt. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
Effective 2013 - 2015 Series 1836, 1838, 1840, 1841 1844S, 1844N, 2240-870, 2250-990, 2260-1270, 2270-1290, 2270XD-1290XD, 2290-12130-BB9090	MF-50 Red (2013-Present) 79036675 Aerosol 79036682 Qt. ACP0146510 Qt. (Low V.O.C.) ACP0146520 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
Swathers			
200, 220	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
9220, 9225, 9420	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
9225, 9425, 9635 2008 Hesston Production	Autumn Prime 79014845 Aerosol 79014824 Qt. 79014823 Gal.	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Chassis Gray 79025173 Aerosol 79025172 Qt. 79025182 Qt. (Low V.O.C.)
Swathers Effective 2009/2010 Hesston Production	Refer to New Massey Ferguson Paint Manufacturing Information Section 2009/2010 on page 47		
Hay Tools			
All Machines 2008 Hesston Production	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Chassis Gray 79025173 Aerosol 79025172 Qt. 79025182 Qt. (Low V.O.C.)
All Machines 2009/2010 Hesston Production	Refer to New Massey Ferguson Paint Manufacturing Information Section 2009/2010 on page 47		


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Massey Ferguson


Equipment	Sheet Metal	Wheels	Chassis
 MASSEY FERGUSON (Cont'd)			
Industrial Models			
Back Hoes			
20, 20C, 20D, 30, 30B, 30D, 31, 40, 40B, 50A, 50C, 50D, 60, 70, 80, 202, 203, 204, 205, 302, 304, 2135, 2200, 3165	Construction Yellow M1055 841730M1 Aerosol 841729M1 Gal.		Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
20E, 20F, 30E, 30H, 40E, 50E, 50F, 50H./HX Ser. S & 50H/HX Ser. T, 60H/HX Ser. S & 60H/HX Ser. T	Industrial Yellow 841682M2 Aerosol 768976M3 Gal.		Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
Forklifts			
200, 2500, 4500, 6500	Construction Yellow M1055 841730M1 Aerosol 841729M1 Gal.		
6500H, 6800H	Industrial Yellow 841682M2 Aerosol 768976M3 Gal.		
Loaders			
Equipment	Arms	Bucket	Brackets
Massey Ferguson Loaders through 2008	MF Red M1041 1906406M2 Aerosol 830707M5 Qt. 830708M5 Gal. 651787M91 Qt. (Low V.O.C.) 651786M91 Gal. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)	
Massey Ferguson Loaders Effective 2009 Production	MF-50 Red 79033123 Aerosol 79033124 Qt. 79033125 Gal. 79033126 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)	New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.)

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Massey Ferguson

Equipment	Sheet Metal	Wheels
 MASSEY FERGUSON (Cont'd)		
New Massey Ferguson Paints Manufacturing Information 2009-2010		
Size	MF-50 Red Part Number	Chassis Gray Part Number
Aerosol	79033123	79033129
Quart	79033124	79033127
Quart Low VOC	79033126	79033128
Gallon	79033125	NA
New Massey Ferguson Paints Manufacturing Information 2013-Present		
Size	MF-50 Red (2013-Present) Part Number	MF-50 Chassis Gray (2013-Present) Part Number
Aerosol	79036675	ACP0135180
Quart	79036682	ACP0135190
Gallon	NA	NA
Manufacturing Site	MF-50 Red Proposed Date	Chassis Gray Proposed Date
Beauvais	January 2009	January 2009
Jackson	NA	January 2009
Valtra - Finland	NA	Unknown
MF Brazil	April 2010	April 2010
Valtra - Brazil	NA	January 2009
Iseki - Japan	May 2009	May 2009
Tafe - India	April 2010	April 2010
ALAMO	May 2010	May 2010
AGRITALIA	April 2009	April 2009
Hesston	October 2008	October 2008
Beloit	October 2008	October 2008

Minneapolis Moline

Equipment	Sheet Metal	Wheels	Chassis
			
Minneapolis Moline Tractors	Prairie Gold 79014834 Aerosol 79014808 Qt.	Southbend Red 20-7002256 Aerosol	

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

New Idea

Equipment	Sheet Metal	Wheels	Chassis
NEW IDEA® Sidekick Spreaders			
300 Series	New Idea Light Gray 17565 Aerosol	Bossline White 79014833 Aerosol 79014807 Qt.	New Idea Charcoal Gray 79014839 Aerosol 79014816 Qt.
3600 Series	New Idea Light Gray 17565 Aerosol	Bossline White 79014833 Aerosol 79014807 Qt.	New Idea Charcoal Gray 79014839 Aerosol 79014816 Qt.
3700 Series	New Idea Light Gray 17565 Aerosol	Bossline White 79014833 Aerosol 79014807 Qt.	Red WFE III 79015804 Aerosol 79015803 Qt. 79015802 Gal.
3200, 3300	Red WFE III 79015804 Aerosol 79015803 Qt. 79015802 Gal.	Bossline White 79014833 Aerosol 79014807 Qt.	
3810, 3816, 3825	New Idea Light Gray 17565 Aerosol	Bossline White 79014833 Aerosol 79014807 Qt.	New Idea Charcoal Gray 79014839 Aerosol 79014816 Qt.
Disc Mowers up to 1994			
5400	Red WFE III 79015804 Aerosol 79015803 Qt. 79015802 Gal.	Bossline White 79014833 Aerosol 79014807 Qt.	
Disc Mower Conditioners			
5200's up to 1994	New Idea Light Gray 17565 Aerosol	Bossline White 79014833 Aerosol 79014807 Qt.	
5200's after 1994	Red WFE III 79015804 Aerosol 79015803 Qt. 79015802 Gal.	Bossline White 79014833 Aerosol 79014807 Qt.	
Mower Conditioners			
290, 299	Bittersweet 15959 Aerosol 17223 Qt.	Bossline White 79014833 Aerosol 79014807 Qt.	
507, 509	Bittersweet 15959 Aerosol 17223 Qt.	Bossline White 79014833 Aerosol 79014807 Qt.	
512, 514	Bittersweet 15959 Aerosol 17223 Qt.	Bossline White 79014833 Aerosol 79014807 Qt.	
5107, 5109, 5112, 5114	New Idea Light Gray 17565 Aerosol	Bossline White 79014833 Aerosol 79014807 Qt.	
Pickers and Shellers			
6 to 331	New Idea Green 15960 Aerosol	New Idea Buff 15961 Aerosol	Bittersweet 15959 Aerosol 17223 Qt.

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

New Idea


Equipment	Sheet Metal	Wheels	Chassis
NEW IDEA®			
Hay Rakes			
44 to 404	Bittersweet 15959 Aerosol 17223 Qt.	New Idea Buff 15961 Aerosol	
405 to 4100's	New Idea Light Gray 17565 Aerosol	Bossline White 79014833 Aerosol 79014807 Qt.	
4200	Red WFE III 79015804 Aerosol 79015803 Qt. 79015802 Gal.	Bossline White 79014833 Aerosol 79014807 Qt.	
Balers up to 1994	New Idea Light Gray 17565 Aerosol	Bossline White 79014833 Aerosol 79014807 Qt.	
Balers after 1994	Red WFE III 79015804 Aerosol 79015803 Qt. 79015802 Gal.	Bossline White 79014833 Aerosol 79014807 Qt.	
Forage Harvesters			
660, 680	Bittersweet 15959 Aerosol 17223 Qt.	New Idea Buff 15961 Aerosol	
662, 663	Bittersweet 15959 Aerosol 17223 Qt.	New Idea Buff 15961 Aerosol	
664, 668	Bittersweet 15959 Aerosol 17223 Qt.	New Idea Buff 15961 Aerosol	
All Machines 1981 up to 2007	Autumn Prime 79014845 Aerosol 79014824 Qt. 79014823 Gal.	Cascade White 79014847 Aerosol	Midnight Brown 79014844 Aerosol Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
All Machines Effective 2007 - (Late 2008)	Autumn Prime 79014845 Aerosol 79014824 Qt. 79014823 Gal.	Silver Mist Gray M1037 841686M1 Aerosol 841556M2 Qt. 79037157 Qt. (Low V.O.C.)	Chassis Gray 79025173 Aerosol 79025172 Qt. 79025182 Qt. (Low V.O.C.)
8000 Series Effective 2009 Production	Sunflower Massey Red SN83004117 Aerosol	Bossline White 79014833 Aerosol 79014807 Qt.	

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

New Idea

Equipment	Sheet Metal	Wheels	Chassis
NEW IDEA®			
Planters			
900 Series	Bittersweet 15959 Aerosol 17223 Qt.	New Idea Buff 15961 Aerosol	
9100, 9200, 9300	New Idea Light Gray 17565 Aerosol	Bossline White 79014833 Aerosol 79014807 Qt.	
9700, 9800, 9900	New Idea Light Gray 17565 Aerosol	Bossline White 79014833 Aerosol 79014807 Qt.	

Oliver

Equipment	Sheet Metal	Wheels	Chassis
			
Oliver Tractors	Meadow Green 79014831 Aerosol 79014805 Qt. 79037151 Qt. (Low V.O.C.) 79014804 Gal.	Clover White 79014832 Aerosol 79014806 Qt.	Clover White 79014832 Aerosol 79014806 Qt.


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

RoGator

Equipment	Sheet Metal	Wheels	Chassis
RoGator			
	Ag-Chem Yellow	Ag-Chem White	
Prior 2010 Jackson Production	Urethane Kit	Enamel Paint	
663	AG516118	AG511234	
664	AG516118	AG511234	
844	AG516118	AG511234	
854	AG516118	AG511234	
1054	AG516118	AG511234	
1254	AG516118	AG511234	
864	AG516118	AG511234	
1064	AG516118	AG511234	
1264	AG516118	AG511234	
874, S874	AG516118	AG511234	
1074, 1074C	AG516118	AG511234	
SS1074 , SSC1074	AG516118	AG511234	
1286C	AG516118	AG511234	
Equipment	Sheet Metal	Wheels	Chassis
Effective 2010 Jackson Production	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Challenger Silver Mist 79028660 Aerosol 79028661 Qt.	New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.) Black Gloss 79014796 Gal.
2009 - 700	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Challenger Silver Mist 79028660 Aerosol 79028661 Qt.	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
2010 - 900	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Challenger Silver Mist 79028660 Aerosol 79028661 Qt.	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
2011 - 1100	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Challenger Silver Mist 79028660 Aerosol 79028661 Qt.	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.
2012 - 1300	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Challenger Silver Mist 79028660 Aerosol 79028661 Qt.	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

SAME

Equipment	Sheet Metal	Wheels	Chassis
			
Tractors		Smoke Gray M1073 1907035M1 Aerosol 1907034M1 Qt.	
Lamborghini Tractors	Cream 79014657 Aerosol 79014795 Qt.	Smoke Gray M1073 1907035M1 Aerosol 1907034M1 Qt.	
Tractors	Landini Blue 841758M1 Aerosol	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Avio Blue 841755M1 Aerosol


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

SpraCoupe

Equipment	Sheet Metal	Wheels	Chassis
			
100, 103, 104	SpraCoupe White 6722789 Aerosol	SpraCoupe White 6722789 Aerosol	SpraCoupe Charcoal 6722786 Aerosol 6722785 Qt.
115, 116, 120	SpraCoupe White 6722789 Aerosol	SpraCoupe White 6722789 Aerosol	SpraCoupe Charcoal 6722786 Aerosol 6722785 Qt.
210	SpraCoupe White 6722789 Aerosol	SpraCoupe White 6722789 Aerosol	SpraCoupe Charcoal 6722786 Aerosol 6722785 Qt.
215	SpraCoupe White 6722789 Aerosol	SpraCoupe White 6722789 Aerosol	SpraCoupe Charcoal 6722786 Aerosol 6722785 Qt.
216	SpraCoupe White 6722789 Aerosol	SpraCoupe White 6722789 Aerosol	SpraCoupe Charcoal 6722786 Aerosol 6722785 Qt.
218	SpraCoupe White 6722789 Aerosol	SpraCoupe White 6722789 Aerosol	SpraCoupe Charcoal 6722786 Aerosol 6722785 Qt.
220, 230	SpraCoupe White 6722789 Aerosol	SpraCoupe White 6722789 Aerosol	SpraCoupe Charcoal 6722786 Aerosol 6722785 Qt.
3430, 3630	SpraCoupe White 6722789 Aerosol	SpraCoupe White 6722789 Aerosol	SpraCoupe Charcoal 6722786 Aerosol 6722785 Qt.
3450, 3650	SpraCoupe White 6722789 Aerosol	SpraCoupe White 6722789 Aerosol	SpraCoupe Charcoal 6722786 Aerosol 6722785 Qt.

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

SpraCoupe

Equipment	Sheet Metal	Wheels	Chassis
 (Cont'd)			
3440, 3640	SpraCoupe White 6722789 Aerosol	SpraCoupe White 6722789 Aerosol	SpraCoupe Charcoal 6722786 Aerosol 6722785 Qt.
4440, 4640	SpraCoupe White 6722789 Aerosol	SpraCoupe White 6722789 Aerosol	Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
4450MT, 4650MT	SpraCoupe White 6722789 Aerosol	SpraCoupe White 6722789 Aerosol	Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
4450AT, 4650AT	SpraCoupe White 6722789 Aerosol	SpraCoupe White 6722789 Aerosol	Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
SC4455, SC4655, SC7450, SC7655	SpraCoupe White 6722789 Aerosol	SpraCoupe White 6722789 Aerosol	Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
Effective 2010 Jackson Production	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Challenger Silver Mist 79028660 Aerosol 79028661 Qt.	New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.) Black Gloss 79014653 Aerosol

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Sunflower

Equipment	Sheet Metal	Wheels	Chassis
SUNFLOWER			
Tillage			
Flex-King Models	Clover White 79014832 Aerosol 79014806 Qt. New Idea Green 15960 Aerosol		Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
All Sunflower Models Through 2008	Sunflower Massey Red SN83004117 Aerosol		Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
All Sunflower Models Effective 2009 Beloit	Sunflower MF-50 Red SN83004326 Aerosol		Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
Dump Wagons			
Richardton (North Dakota)	Meadow Green 79014831 Aerosol 79014805 Qt. 79037151 Qt. (Low V.O.C.) 79014804 Gal.		
Richardton Through 2008 Beloit	Sunflower Massey Red SN83004117 Aerosol		
Richardton Effective 2009 Production Beloit	Sunflower MF-50 Red SN83004326 Aerosol		
Grain Carts			
All Models Through 2008 Beloit	Sunflower Massey Red SN83004117 Aerosol		
All Models Effective 2009 Production Beloit	Sunflower MF-50 Red SN83004326 Aerosol		
Planters			
2009-2015 9100, 9180, 9200, 9500, 9700STK, 9700Toolbar, 9772, 9800, 9831, 9936, Block99, ExportCKD, ExportPKD	Sunflower Massey Red SN83004117 Aerosol	Bossline White 79014833 Aerosol 79014807 Qt.	Sunflower Massey Red SN83004117 Aerosol

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

TerraGator

Equipment	Sheet Metal	Wheels	Chassis
TerraGator			
	Ag-Chem Yellow	Ag-Chem White	
Prior 2010 Jackson Production	Urethane Kit	Enamel Paint	
1253	AG516118	AG511234	
1603	AG516118	AG511234	
1703	AG516118	AG511234	
1803	AG516118	AG511234	
1804	AG516118	AG511234	
1903	AG516118	AG511234	
1844	AG516118	AG511234	
3104	AG516118	AG511234	
2004	AG516118	AG511234	
2204	AG516118	AG511234	
4	AG516118	AG511234	
2505	AG516118	AG511234	
1004	AG516118	AG511234	
6103	AG516118	AG511234	
8103	AG516118	AG511234	
9103	AG516118	AG511234	
8104	AG516118	AG511234	
8144	AG516118	AG511234	
9103	AG516118	AG511234	
9105	AG516118	AG511234	
Equipment	Sheet Metal	Wheels	Chassis
Effective 2010 Jackson Production	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Challenger Silver Mist 79028660 Aerosol 79028661 Qt.	New Chassis Gray 79033129 Aerosol 79033127 Qt. 79033128 Qt. (Low V.O.C.) Black Gloss 79014653 Aerosol
2012 Models 7300, 8300, 9300, 8400	Challenger Yellow 79023278 Aerosol 79023277 Qt. (Low V.O.C.) 79023276 Gal. (Low V.O.C.)	Challenger Silver Mist 79028660 Aerosol 79028661 Qt.	MF-50 Chassis Gray (2013-Present) ACP0135180 Aerosol ACP0135190 Qt.

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Tye

Equipment	Sheet Metal	Wheels	Chassis
tye			
Paratills / Drills Prior 2007		Bossline White 79014833 Aerosol 79014807 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
Paratills / Drills After 2007	Sunflower Massey Red SN83004117 Aerosol		

Valtra

Equipment	Sheet Metal	Wheels	Chassis
VALTRA			
All Models		Valtra Gray 79023280 Aerosol	Valtra Dark Brown 79023279 Aerosol
New Massey Ferguson Paints Manufacturing Information 2009/2010			
Size	MF-50 Red Part Number	Chassis Gray Part Number	
Aerosol	79033123	79033129	
Quart	79033124	79033127	
Quart Low VOC	79033126	79033128	
Gallon	79033125	NA	
Manufacturing Site	MF-50 Red Proposed Date	Chassis Gray Proposed Date	
Beauvais	January 2009	January 2009	
Jackson	NA	January 2009	
Valtra - Finland	NA	Unknown	
MF Brazil	April 2010	April 2010	
Valtra - Brazil	NA	January 2009	
Iseki - Japan	May 2009	May 2009	
Tafe - India	April 2010	April 2010	
ALAMO	May 2009	May 2010	
AGRITALIA	April 2010	April 2009	
Hesston	October 2008	October 2008	
Beloit	October 2008	October 2008	

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

White Tractors

Equipment	Sheet Metal	Wheels	Chassis
WHITE ™ Tractors			
1992 +	Corporate Silver 79014803 Aerosol 79014802 Qt. 79014801 Gal.	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Gloss 79014653 Aerosol 79014797 Qt. 79037149 Qt. (Low V.O.C.) 79014796 Gal.
1986-1991	Argent Silver 79014836 Aerosol 79014811 Qt. 79037152 Qt. (Low V.O.C.) 79014810 Gal.	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	New Idea Charcoal Gray 79014839 Aerosol 79014816 Qt.
1975-1986	Argent Silver 79014836 Aerosol 79014811 Qt. 79037152 Qt. (Low V.O.C.) 79014810 Gal.	Charcoal Gray Metallic (Center) 79014838 Aerosol 79014815 Qt. Argent Silver (Rims) 79014836 Aerosol 79014811 Qt. 79037152 Qt. (Low V.O.C.) 79014810 Gal.	Charcoal Gray Metallic 79014838 Aerosol 79014815 Qt.
1982-1986	Argent Silver 79014836 Aerosol 79014811 Qt. 79037152 Qt. (Low V.O.C.) 79014810 Gal.	Charcoal Gray Metallic (Center) 79014838 Aerosol 79014815 Qt. Argent Silver (Rims) 79014836 Aerosol 79014811 Qt. 79037152 Qt. (Low V.O.C.) 79014810 Gal.	Charcoal Gray Metallic 79014838 Aerosol 79014815 Qt.
American 60 & 80 Series	Industrial Yellow 841682M2 Aerosol 768976M3 Gal.	Bossline White 79014833 Aerosol 79014807 Qt.	Bossline White 79014833 Aerosol 79014807 Qt.
American 60 & 80 Series	Meadow Green 79014831 Aerosol 79014805 Qt. 79037151 Qt. (Low V.O.C.) 79014804 Gal.	Bossline White 79014833 Aerosol 79014807 Qt.	Bossline White 79014833 Aerosol 79014807 Qt.
American 60 & 80 Series	Red WFE III 79015804 Aerosol 79015803 Qt. 79015802 Gal.	Bossline White 79014833 Aerosol 79014807 Qt.	Bossline White 79014833 Aerosol 79014807 Qt.
AGCO White (Conventry): 6410, 6510	Corporate Silver 79014803 Aerosol 79014802 Qt. 79014801 Gal.	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
AGCO White (Beauvais): 6710, 6810, 8310, 8410, 8510, 8610, 8710, 8810	Corporate Silver 79014803 Aerosol 79014802 Qt. 79014801 Gal.	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)


V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

White

Equipment	Sheet Metal	Wheels	Chassis
WHITETM Tractors (Cont.'d)			
AGCO White (Coldwater): 8510, 8610, 8710, 8810	Corporate Silver 79014803 Aerosol 79014802 Qt. 79014801 Gal.	Corporate Wheel Gray 79016947 Aerosol 79016946 Qt. 79037153 Qt. (Low V.O.C.)	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
Combines			
	Combine Red 20-7002255 Aerosol 20-7002850 Qt.	Bossline White 79014833 Aerosol 79014807 Qt.	Bossline White (Cab Roof) 79014833 Aerosol 79014807 Qt.
WHITETM Planters			
5100, 5400	Red WFE III 79015804 Aerosol 79015803 Qt. 79015802 Gal.	Bossline White 79014833 Aerosol 79014807 Qt.	
6100, 6200, 6300	Red WFE III 79015804 Aerosol 79015803 Qt. 79015802 Gal.	Bossline White 79014833 Aerosol 79014807 Qt.	
6500, 6800	Red WFE III 79015804 Aerosol 79015803 Qt. 79015802 Gal.	Bossline White 79014833 Aerosol 79014807 Qt.	
8000 Series up to 2006	Red WFE III 79015804 Aerosol 79015803 Qt. 79015802 Gal.	Bossline White 79014833 Aerosol 79014807 Qt.	
8000 Series 2006 - (Late 2008)	Sunflower Massey Red SN83004117 Aerosol	Bossline White 79014833 Aerosol 79014807 Qt.	
8000 Series Effective 2009 Production	Sunflower Massey Red SN83004117 Aerosol	Bossline White 79014833 Aerosol 79014807 Qt.	

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Willmar

Equipment	Sheet Metal	Wheels	Chassis
			
Sprayers			
750, 750A	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
760	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
745, 765	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
765HT	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
785	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
6200	Wiltone WR33585 Aerosol Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Wiltone WR33585 Aerosol	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
6400	Wiltone WR33585 Aerosol Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Wiltone WR33585 Aerosol	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
7200, 7250	Wiltone WR33585 Aerosol Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Wiltone WR33585 Aerosol	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
7400, 7450	Wiltone WR33585 Aerosol Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Wiltone WR33585 Aerosol	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
8100, 8200	Wiltone WR33585 Aerosol Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Wiltone WR33585 Aerosol	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Willmar

Equipment	Sheet Metal	Wheels	Chassis
Willmar (Cont'd)			
Sprayers (Cont'd)			
8400, 8450	Wiltone WR33585 Aerosol	Wiltone WR33585 Aerosol	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
8500, Eagle 8500	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
8600	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Willmar White ACP0135560 Aerosol ACP0135570 Qt.	Black Semi-Gloss 79014654 Aerosol 79014798 Qt. 79037150 Qt. (Low V.O.C.)
Loaders			
Wrangler	Willmar White ACP0135570 Qt.	Orange ACP0135570 Qt.	
4300	Yellow WR35372 Qt.	Yellow WR35372 Qt.	
4500, 4550	Yellow WR35372 Qt.	Yellow WR35372 Qt.	

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Thinners, Primers and Hardeners

Description	Part Number
Thinner (AGCO Labeled)	1904947M1 Qt. 79037146 Qt. (Low V.O.C.) 79015024 Gal.
Primer Red Oxide	1904943M1 Aerosol 1904945M1 Qt.
Primer Gray	79014483 Aerosol 79014481 Qt. 79037147 Qt. (Low V.O.C.) 79014482 Gal.
Hardener (Valspar Labeled)	79022595 Pint 79023497 Pint (Low V.O.C.)

V.O.C. - The contents of this product contains no more than 2.8% of volatile organic compounds (please note that all aerosols are also V.O.C. compliant). Only V.O.C. compliant formulas can be used in Canada and the states of California, Delaware and Maryland.

Paint Index

Color Cat	Part	Index Description	Container Size	Order On
Black	AG513704	Ag-Chem Flat Black	Aerosol*	Stock/Promo
Black	AG511250	Ag-Chem Flat Black	Gallon	Stock/Promo
Black	79014653	Black Gloss	Aerosol*	Promo
Black	79014797	Black Gloss	Quart	Promo
Black	79037149	Black Gloss Low VOC	Quart*	Promo
Black	79014796	Black Gloss	Gallon	Promo
Black	79036678	Black Gloss - 2013 to present	Aerosol*	Promo
Black	79036685	Black Gloss - 2013 to present	Quart	Promo
Black	79014654	Black Semi-Gloss	Aerosol*	Promo
Black	79014798	Black Semi-Gloss	Quart	Promo
Black	79037150	Black Semi-Gloss Low VOC	Quart*	Promo
Black	79014480	Hi-Temp Black	Aerosol*	Promo
Black	1077728M1	Mirror Black	Aerosol*	Promo
Black	1077536M1	Mirror Black	Quart	Promo
Black	20-7002264	Plow Base Black	Aerosol*	Promo
Black	WR17505	Willmar Black Semi-Gloss	Aerosol*	Stock/Promo
Blue	841755M1	Avio Blue	Aerosol*	Promo
Blue	79014659	Gun Metal Blue	Aerosol*	Promo
Blue	79014788	Gun Metal Blue	Quart	Promo
Blue	841758M1	Landini Blue	Aerosol*	Promo
Blue	3620533M5	Landini Blue	Quart	Stock/Promo
Brown	79014844	Midnight Brown	Aerosol*	Promo
Brown	79017235	Saddle Brown	Aerosol*	Promo
Brown	79023279	Valtra Dark Brown	Aerosol*	Promo
Gold	79014834	Prairie Gold	Aerosol*	Promo
Gold	79014808	Prairie Gold	Quart	Promo
Gray	79032970	Challenger Gray	Aerosol*	Stock/Promo
Gray	79028659	Challenger Gray	Quart	Stock/Promo
Gray	3931633M5	Challenger Gray	Gallon	Stock/Promo
Gray	841739M1	Charcoal Gray M1056	Aerosol*	Promo
Gray	841740M1	Charcoal Gray M1056	Quart	Promo
Gray	79014838	Charcoal Gray Metallic	Aerosol*	Promo
Gray	79014815	Charcoal Gray Metallic	Quart	Promo
Gray	79025173	Chassis Gray	Aerosol*	Promo
Gray	79025172	Chassis Gray	Quart	Promo
Gray	79025182	Chassis Gray Low VOC	Quart*	Promo
Gray	79016947	Corporate Wheel Gray	Aerosol*	Promo
Gray	79016946	Corporate Wheel Gray	Quart	Promo
Gray	79037153	Corporate Wheel Gray Low VOC	Quart*	Promo
Gray	79017754	Fendt Gray	Aerosol*	Promo
Gray	79017753	Fendt Gray	Quart	Promo
Gray	79037155	Fendt Gray Low VOC	Quart*	Promo
Gray	841684M1	Flint Gray M1026	Aerosol*	Promo

* Low VOC formula

Paint Index

Color Cat	Part	Index Description	Container Size	Order On
Gray	841683M1	Flint Metallic Gray M1025	Aerosol*	Promo
Gray	830719M2	Flint Metallic Gray M1025	Quart	Promo
Gray	79037156	Flint Metallic Gray M1025 Low VOC	Quart*	Promo
Gray	830720M2	Flint Metallic Gray M1025	Gallon	Promo
Gray	P13GLNGRYA	Gleaner Gray	Aerosol*	Promo
Gray	79036677	Gleaner Gray	Aerosol*	Promo
Gray	79036684	Gleaner Gray	Quart	Promo
Gray	P13GLNGRYG	Gleaner Gray	Gallon	Promo
Gray	79014658	Gray Semi-Gloss	Aerosol*	Promo
Gray	79036679	Interior Cab Gray	Aerosol*	Promo
Gray	79036686	Interior Cab Gray	Quart	Promo
Gray	841680M1	Light Gray M1011	Aerosol*	Promo
Gray	ACPO135180	MF-50 Chassis Gray - 2013 - Present	Aerosol*	Promo
Gray	ACPO135190	MF-50 Chassis Gray - 2013 - Present	Quart	Promo
Gray	79033129	New Chassis Gray	Aerosol*	Promo
Gray	79033127	New Chassis Gray	Quart	Promo
Gray	79033128	New Chassis Gray Low VOC	Quart*	Promo
Gray	79014839	New Idea Charcoal Gray	Aerosol*	Promo
Gray	79014816	New Idea Charcoal Gray	Quart	Promo
Gray	17565	New Idea Light Gray	Aerosol*	Promo
Gray	79014663	Pearl Gray	Aerosol*	Promo
Gray	79014800	Pearl Gray	Quart	Promo
Gray	ACPO135020	Sapphire Gray - 2013 - Present	Aerosol*	Promo
Gray	ACPO135030	Sapphire Gray - 2013 - Present	Quart	Promo
Gray	1077726M1	Silver Metallic Gray	Aerosol*	Promo
Gray	1077727M1	Silver Metallic Gray	Quart	Promo
Gray	841686M1	Silver Mist Gray M1037	Aerosol*	Promo
Gray	841556M2	Silver Mist Gray M1037	Quart	Promo
Gray	79037157	Silver Mist Gray M1037 Low VOC	Quart*	Promo
Gray	79016948	Slate Gray M1074	Aerosol*	Promo
Gray	1907035M1	Smoke Gray M1073	Aerosol*	Promo
Gray	1907034M1	Smoke Gray M1073	Quart	Promo
Gray	6722786	SpraCoupe Charcoal	Aerosol*	Promo
Gray	6722785	SpraCoupe Charcoal	Quart	Promo
Gray	841717M1	UniGray M1053	Aerosol*	Promo
Gray	79023280	Valtra Gray	Aerosol*	Promo
Green	79017750	Fendt Green	Aerosol*	Promo
Green	79017749	Fendt Green	Quart	Promo
Green	79037154	Fendt Green Low VOC	Quart*	Promo
Green	79036674	Fendt Green - 2013 - Present	Aerosol*	Promo
Green	79036681	Fendt Green - 2013 - Present	Quart	Promo
Green	EP6495	Glencoe Green	Aerosol*	Promo
Green	79014831	Meadow Green	Aerosol*	Promo

* Low VOC formula

Paint Index

Color Cat	Part	Index Description	Container Size	Order On
Green	79014805	Meadow Green	Quart	Promo
Green	79037151	Meadow Green Low VOC	Quart*	Promo
Green	79014804	Meadow Green	Gallon	Promo
Green	15960	New Idea Green	Aerosol*	Promo
Green	79014665	Spring Green	Aerosol*	Promo
Green	79014784	Spring Green	Quart	Promo
Green	79014783	Spring Green	Gallon	Promo
Hardener	79022595	Hardener (Valspar labeled)	Pint	Promo
Hardener	79023497	Hardener (Valspar labeled) (Low VOC)	Pint*	Promo
Maroon	79014660	Maroon	Aerosol*	Promo
Orange	79018733	AGCO Orange	Aerosol*	Promo
Orange	79018734	AGCO Orange	Quart	Promo
Orange	79014845	Autumn Prime	Aerosol*	Promo
Orange	79014824	Autumn Prime	Quart	Promo
Orange	79014823	Autumn Prime	Gallon	Promo
Orange	15959	Bittersweet	Aerosol*	Promo
Orange	17223	Bittersweet	Quart	Promo
Orange	79014656	Corporate Orange	Aerosol*	Promo
Orange	79014782	Corporate Orange	Quart	Promo
Orange	79023273	Corporate Orange Low VOC	Quart*	Promo
Orange	79014781	Corporate Orange	Gallon	Promo
Orange	79014664	Persian Orange	Aerosol*	Promo
Orange	79014785	Persian Orange	Quart	Promo
Orange	79037148	Persian Orange Low VOC	Quart*	Promo
Orange	79032876	Persian Orange #1	Aerosol*	Promo
Orange	79021641	Persian Orange #1	Quart	Promo
Primer	AG120546	Primer Buff Epoxy	Gallon	Stock/Promo
Primer	AG513702	Primer Enamel	Aerosol*	Stock/Promo
Primer	AG511293	Primer Enamel	Gallon	Stock/Promo
Primer	79014483	Primer Gray	Aerosol*	Promo
Primer	79014481	Primer Gray	Quart	Promo
Primer	79037147	Primer Gray Low VOC	Quart*	Promo
Primer	79014482	Primer Gray	Gallon	Promo
Primer	1904943M1	Primer Red Oxide	Aerosol*	Promo
Primer	1904945M1	Primer Red Oxide	Quart	Promo
Red	20-7002255	Combine Red	Aerosol*	Promo
Red	20-7002850	Combine Red	Quart	Promo
Red	79017752	Fendt Red	Aerosol*	Promo
Red	79028814	Fendt Red Low VOC	Quart*	Promo
Red	1906406M2	MF Red M1041	Aerosol*	Promo
Red	830707M5	MF Red M1041	Quart	Promo
Red	830708M5	MF Red M1041	Gallon	Promo
Red	651787M91	MF Red M1041 Low VOC	Quart*	Promo

* Low VOC formula

Paint Index

Color Cat	Part	Index Description	Container Size	Order On
Red	651786M91	MF Red M1041 Low VOC	Gallon*	Promo
Red	79033123	MF-50 Red	Aerosol*	Promo
Red	79033124	MF-50 Red	Quart	Promo
Red	79033125	MF-50 Red	Gallon	Promo
Red	79033126	MF-50 Red Low VOC	Quart*	Promo
Red	79036675	MF-50 Red - 2013 - Present	Aerosol*	Promo
Red	79036682	MF-50 Red - 2013 - Present	Quart	Promo
Red	ACP0146510	MF-50 Red - 2013 - Present Low VOC	Quart*	Promo
Red	ACP0146520	MF-50 Red - 2013 - Present Low VOC	Gallon*	Promo
Red	79015804	Red WFE III	Aerosol*	Promo
Red	79015803	Red WFE III	Quart	Promo
Red	79015802	Red WFE III	Gallon	Promo
Red	20-7002256	Southbend Red	Aerosol*	Promo
Red	SN83004117	Sunflower Massey Red	Aerosol*	Stock/Promo
Red	79032804	Sunflower Massey Red	Quart	Stock/Promo
Red	SN83004326	Sunflower MF-50 Red	Aerosol*	Stock/Promo
Silver	79014652	Aluminum	Aerosol*	Promo
Silver	79014795	Aluminum	Quart	Promo
Silver	79014836	Argent Silver	Aerosol*	Promo
Silver	79014811	Argent Silver	Quart	Promo
Silver	79037152	Argent Silver Low VOC	Quart*	Promo
Silver	79014810	Argent Silver	Gallon	Promo
Silver	79036680	Cab Silver	Aerosol*	Promo
Silver	79036687	Cab Silver	Quart	Promo
Silver	79028660	Challenger Silver Mist	Aerosol*	Stock/Promo
Silver	79028661	Challenger Silver Mist	Quart	Stock/Promo
Silver	79014803	Corporate Silver	Aerosol*	Promo
Silver	79014802	Corporate Silver	Quart	Promo
Silver	79014801	Corporate Silver	Gallon	Promo
Silver	841818M1	French Silver Mist	Aerosol*	Promo
Thinner	1904947M1	Thinner (AGCO Labeled)	Quart	Promo
Thinner	79037146	Thinner (AGCO Labeled) Low VOC	Quart*	Promo
Thinner	79015024	Thinner (AGCO Labeled)	Gallon	Promo
White	AG513703	Ag-Chem White	Aerosol*	Stock/Promo
White	AG511234	Ag-Chem White	Gallon	Stock/Promo
White	AG516120	Ag-Chem White Urethane Kit	Kit	Stock/Promo
White	79014833	Bossline White	Aerosol*	Promo
White	79014807	Bossline White	Quart	Promo
White	79014847	Cascade White	Aerosol*	Promo
White	79014846	Charolais White	Aerosol*	Promo
White	79014655	Cloud White	Aerosol*	Promo
White	79014832	Clover White	Aerosol*	Promo
White	79014806	Clover White	Quart	Promo

* Low VOC formula

Paint Index

Color Cat	Part	Index Description	Container Size	Order On
White	79014657	Cream	Aerosol*	Promo
White	79014790	Cream	Quart	Promo
White	15961	New Idea Buff	Aerosol*	Promo
White	79014661	New White	Aerosol*	Promo
White	79014793	New White	Quart	Promo
White	6722789	SpraCoupe White	Aerosol*	Promo
White	ACP0135560	Willmar White	Aerosol*	Promo
White	ACP0135570	Willmar White	Quart	Promo
White	WR33585	Wiltone	Aerosol*	Promo
Yellow	AG513210	Ag-Chem Yellow	Aerosol*	Stock/Promo
Yellow	AG511242	Ag-Chem Yellow	Gallon	Stock/Promo
Yellow	AG516118	Ag-Chem Yellow Urethane Kit	Kit	Stock/Promo
Yellow	841682M2	American Series Yellow	Aerosol*	Promo
Yellow	79014809	American Series Yellow	Quart	Promo
Yellow	79023278	Challenger Yellow	Aerosol*	Promo
Yellow	79023277	Challenger Yellow - Low VOC	Quart*	Promo
Yellow	79023276	Challenger Yellow - Low VOC	Gallon*	Promo
Yellow	79036676	Challenger Yellow - 2013 - Present	Aerosol*	Promo
Yellow	79036683	Challenger Yellow - 2013 - Present	Quart	Promo
Yellow	ACP0146530	Challenger Yellow - 2013 - Present - Low VOC	Quart*	Promo
Yellow	ACP0146540	Challenger Yellow - 2013 - Present - Low VOC	Gallon*	Promo
Yellow	841730M1	Construction Yellow M1055	Aerosol*	Promo
Yellow	841729M1	Construction Yellow M1055	Gallon	Promo
Yellow	841682M2	Industrial Yellow	Aerosol*	Promo
Yellow	768976M3	Industrial Yellow	Gallon	Promo
Yellow	WR35372	Willmar Yellow	Quart	Promo

* Low VOC formula



Keep It Genuine.

AGCO Parts has one purpose: to keep your investment performing in the field.

We supply genuine parts and accessories, designed and engineered by the same people who made the original equipment. You get a guaranteed fit and the performance that only AGCO Parts can deliver. It's dependability you can rely on with the productivity you've come to expect. Keep your equipment running the way it was meant to run.



MASSEY FERGUSON

